



Fibre optic Accessories

tracom

EDITION 2022

The logo features the word "tracom" in a white, lowercase, sans-serif font. Above the letters "a" and "c" are three thin, white, curved lines that sweep across the top of the text. The entire logo is centered within a large circle formed by a series of small white dots.

tracom

Table of contents

FIBRE OPTIC ACCESSORIES

FIBRE OPTIC ENCLOSURES	10
Mini splice box Tracom FOB-LINE	11
Mini splice box Tracom FOB-LINE IP67	12
Mini splice box Tracom FOB-LINE-SPLICE	13
Fibre optic termination box Tracom FOB-FTTX-A	14
Fibre optic termination box Tracom FOB-FTTX-A v.2	15
Fibre optic termination box Tracom FOB-FTTX-B v.2	16
Fibre optic termination box Tracom FOB-FTTX-C	17
Fibre optic termination box Tracom FOB-FTTX-E	18
Fibre optic termination box Tracom FOB-AM	19
Fibre optic termination box Tracom FOB-AM-STEEL	20
Fibre optic termination box Tracom FOB-AM2-4S	21
Fibre optic termination box Tracom FOB-A02	22
Fibre optic termination box Tracom FOB-A02C	23
Fibre optic termination box Tracom FOB-A04	24
Fibre optic termination box Tracom FOB-A04C	25
Fibre optic termination box Tracom FOB-A08	26
Fibre optic termination box Tracom FOB-B02	27
Fibre optic termination box Tracom FOB-C-8S (4112 v.2)	28
Fibre optic termination box Tracom FOB-C-12S (P4112 v.2)	29
Fibre optic termination box Tracom FOB-C2-16S (P025)	30
Fibre optic termination box Tracom FOB-C2-24S (P4112 v.2)	31
Fibre optic termination box Tracom FOB-D (P009)	32
Fibre optic termination box Tracom FOB-DM (P037)	33
Fibre optic termination box Tracom FOB-G06	34
Fibre optic termination box Tracom FOB-K08	35
Fibre optic termination box Tracom FOB-SFP16	36
Patch Panel Tracom 19" 1U (P3024)	37
Patch Panel Tracom SLIDE 19" 1U (P3024)	38
Patch Panel Tracom SLIDE 19" 2U (P3024)	39
Installation kit FTTX-A OPTIX ARP ZW-NOTKSdp 1F 50M 1xSC/APC	40
Installation kit FTTX-A OPTIX Mini W-NOTKSdD 1F 25M 1xSC/APC	41
Installation kit FTTX-B OPTIX Mini W-NOTKSdD 1F 25M 1xSC/APC	42
Installation kit FTTX-C OPTIX Mini W-NOTKSdD 1F 25M 1xSC/APC	43
Installation kit FTTX-E OPTIX Mini W-NOTKSdD 1F 25M 1xSC/APC	44

MODULAR FIBRE OPTIC ENCLOSURES.	45
Modular fibre optic enclosure Tracom 19" ODF-U	46
Modular fibre optic enclosure Tracom LGX - Chassis 1U 19" (LGX BOX)	47
Modular fibre optic enclosure Tracom ODF Chassis 3U 19" (A+A2).....	48
Modular fibre optic enclosure Tracom ODF/LGX - Chassis 1U 19" (A+B)	49
Modular fibre optic enclosure Tracom VERTICAL Chassis 3U 19"	50
Modular fibre optic enclosure Tracom VERTICAL Chassis 3U 19" v.2	51
Modular fibre optic enclosure Tracom VERTICAL - Module 12x SC Simplex (12)	52
Modular fibre optic enclosure Tracom VERTICAL DIN - Chassis 3U 19"	53
Modular fibre optic enclosure Tracom VERTICAL DIN - Module 6/12x SC/ST SIMPLEX/DUPLEX	54
Module port cover for Tracom VERTICAL fibre optic enclosure	55
Fibre optic distributor Tracom M8 - Chassis 3U 19" (max. 8 module T12)	56
Fibre optic distributor Tracom T12 - Module 3U (max. 12 tubes)	56
RACK MOUNT ENCLOSURES AND CABINETS	57
Rack mount enclosure Tracom 19" 1U-2U (P4112 v.2/P3024).....	58
Rack mount enclosure Tracom SLIDE 19" 1U-2U (P4112 v.2/P3024)	59
Rack mount enclosure Tracom CX PSS 12/24x SC SLX/DLX 1U	60
Rack mount enclosure Tracom CX PSW SLIDE 12/24x SC SLX/DLX 1U	61
Rack mount enclosure Tracom ODF-W 24x SC SLX 1U (2x30(24))	62
Pole mount Tracom CX ODF RACK 6/9/12U SZM-19"	63
Pole mount Tracom CX ODF RACK SZM-10" 6U	64
Field RACK cabinet Tracom ODF-R Outdoor 18U 19"	65
Field RACK cabinet Tracom ODF-R-Z Outdoor 18U 19" v.2.	66
Field RACK cabinet Tracom ODF-R2-Z Outdoor 24U 19"	67
Field RACK cabinet Tracom ODF-R2-Z Outdoor 30U 19" v.2	68
Field RACK cabinet Tracom CX ODF-R 12/18U SZW-19"	69
Field RACK cabinet Tracom CX ODF-R 2x25U SZW-19"	70
Field RACK cabinet Tracom CX ODF-R2 24/30/36U SZWM-19"	71
Wall mount RACK cabinet Tracom CX ODF-TPR 6U 19"	72
Wall mount RACK cabinet Tracom 10W-04/06-0303-GL-GR-1S	73
Wall mount RACK cabinet TRACOM 19W-04-0604/0606-GL-BL/GR-1S	74
Wall mount RACK cabinet TRACOM 19W-06-0604/0606-GL/ME-BL/GR-1S/2S	75
Wall mount RACK cabinet TRACOM 19W-09-0604/0606-GL/ME-BL/GR-1S/2S	76
Wall mount RACK cabinet TRACOM 19W-12-0604/0606-GL/ME-BL/GR-1S/2S	77
Wall mount RACK cabinet TRACOM 19W-15-0604/0606-GL-BL/GR-1S	78
Wall mount RACK cabinet TRACOM 19W-18-0604/0606-GL-BL/GR-1S	79
Floor standing RACK cabinet Tracom 19S-22-0606/0608-GL-BL	80
Floor standing RACK cabinet TRACOM 19S-27-0606/0608/0610/0808-GL-BL	81
Floor standing RACK cabinet TRACOM 19S-32-0606/0608/0610-0808-GL-BL	82
Floor standing RACK cabinet TRACOM 19S-37-0606/0608/0610/0808-GL-BL	83

Floor standing RACK cabinet TRACOM 19S-42-0608/0610/0808/0810-GL-BL	84
RACK shelf Tracom CX 19" 2U rear-front adjustment	85
RACK shelf 10" 1U Tracom CX, d. 150mm	86
RACK shelf 19" 1U Tracom CX, d. 200mm	86
RACK shelf 19" 1U Tracom CX, d. 260mm	86
RACK shelf 19" 2U Tracom CX, d. 350mm	87
Voltage distribution panel 19" 3U TRACOM CX	87

MOUNT ENCLOSURES AND CABINETS 88

Fibre optic enclosure Tracom CX PD-FTTH 4F 140/150/60	89
Fibre optic enclosure Tracom CX PD-FTTH 12F 160/270/60	90
Wall mount optical distribution cabinet Tracom CX ODF PD-FTTH 12/16/24/36F	91
Wall mount optical distribution cabinet Tracom CX ODF RDD-FTTH 72/96F	92
Wall mount optical distribution cabinet Tracom CX ODF RDD-FTTH 96F 530/310/200 +reserve cable module .	93
Wall mount optical distribution cabinet Tracom CX ODF SZ-FTTH 24F 350/420/170	94
Pole mount optical distribution cabinet Tracom CX ODF SZM 300/310/180	95
Wall mount optical distribution cabinet Tracom ODF-B 24/48F	96
Wall mount optical distribution cabinet Tracom ODF-T Outdoor 24/48F	97
Wall mount optical distribution cabinet Tracom CX ODF SZKŁD 24F	98
Wall mount optical distribution cabinet Tracom CX ODF SZKŁD	99

OTHER MOUNT ENCLOSURES 100

Field optical distribution cabinet Tracom ODF-O Outdoor 144/288F	101
Field optical distribution cabinet Tracom CX FTTH 48/72F	102
Field optical distribution cabinet Tracom CX FTTH 72F SZS-430/1850/200 + cable reserve	103
Field optical distribution cabinet Tracom CX FTTH FOSC SZS-430/1430/230	104

FIBRE OPTIC SPLICE CLOSURES 105

Tracom SC-A6-D-O-000 096F-04xP024V1-000	106
Tracom SC-A6-D-O-000 096F-08xP411V3-000	107
Tracom SC-B6-D-O-000 048F-04xP026V1-000	108
Tracom SC-C4-D-O-000 120F-05xP025V2-000	109
Tracom SC-C8-D-O-000 288F-12xP512V1-000	110
Tracom SC-E4-D-O-000 024F-01x000000-000	111
Tracom SC-F4-D-S-000 024F-01x000000-000	112
Tracom SC-I4-D-O-000 012F-00x000000-000	113
Tracom SC-J6-D-O-000 072F-03xP502VX-000	114
Tracom SC-O12-D-S-000 048F-04xP018V1-000	115
Tracom SC-O12-D-S-09S 012F-00x000000-000	116
Tracom FTTX DAC 2+24IN Ø4/6/7 (48/96F +Patch Panel)	117
Tracom FTTX DAC 4+16IN Ø4/6 (48/96F +Patch Panel) v2	118
Tracom FTTX DAC-S 4+16IN 18SC Ø4/6 (18F +Patch Panel)	119
Tracom FTTX MDU B08 (2xPG port)	120

Tracom FTTX MDU B08 (oval port)	121
Tracom FTTX MDU B16 (2xPG port)	122
Tracom FTTX MDU B16 (uncut port)	123
Tracom FTTX MDU BLK H08F (uncut port + PG) + Split Box 1x8	124
Tracom FTTX MDU BLK H08F (uncut port + PG) +Patch Panel	125
Tracom FTTX MDU BLK I08 + Panel	126
Tracom FTTX MDU BLK I08 9xSC/APC + 1x8 PLC	127
Tracom FTTX MDU C12 (2x PG).	128
Tracom FTTX MDU C12 (uncut port).	129
Tracom FTTX MDU C16 (2x PG)	130
Tracom FTTX MDU C16 (uncut port)	131
Tracom FTTX MDU E12 (uncut port) + Patch Panel	132
Tracom FTTX MDU E24 (2xPG) +Patch Panel	133
Tracom FTTX MDU E24 v2 (2xPG) +2x Split Box 1x8	134
Tracom FTTX MDU E24 v2 (uncut port) +2x Split Box 1x8	135
Tracom FTTX MDU E24 v2 (uncut port) +Patch Panel	136
Tracom FTTX MDU E48 v2 (uncut port) + 4x Split Box 1x8	137
Tracom FTTX MDU E48 v2 (uncut port) +Patch Panel	138
Tracom FTTX MDU G16 (2xPG + uncut port)	139
Tracom FTTX MDU G16-24S BLACK (2xPG + uncut port)	140
Tracom FTTX MDU G24-24S (2xPG)	141
Tracom FTTX MDU G24-24S BLACK (2xPG)	142
Tracom FTTX MDU H16F (2xPG + uncut port) +2x Split Box 1x8	143
Tracom FTTX MDU H16F (2xPG + uncut port) +Patch Panel	144
Tracom FTTX MDU H16R (2xPG + uncut port) +2x Split Box 1x8	145
Tracom FTTX MDU H16R (2xPG + uncut port) +Patch Panel	146
Tracom FTTX MDU I16R (uncut port) + 16xSC/UPC	147
Tracom FTTX MDU I16R BLACK (uncut port) + 16x SC SX	148
Tracom FTTX ODU 2IN-24S	149
Tracom FTTX ODU 2IN-8S	150
Tracom FTTX ODU 3IN-6D	151
Tracom FTTX ODU 3IN-8S	152
Tracom FTTX ODU 4IN-24S (uncut port)	153
Tracom FTTX ODU 4S	154
Tracom FTTX ODU 5IN-8S	155
Tracom FTTX ODU BIG 4IN + 4x Split Box 1x8	156
Tracom FTTX ODU BIG 8IN-96S	157
Tracom FTTX ODU BLACK 3IN-12S	158
Tracom FTTX ODU BLACK 3IN-18S	159
Tracom FTTX ODU BLACK 4IN-9S	160

Tracom FTTX ODU-LINE 6IN-9S BLK	161
Tracom FTTX ODU-LINE BLACK 2IN	162
Tracom SC-D4-D-A-000 048F-04xP037VX-B13	163
Tracom SC-D4-D-B-000 048F-04xP037VX-B13	164
Tracom SC-D4-T-A-000 048F-04xP037VX-B13	165
Tracom SC-D4-T-B-000 048F-04xP037VX-B13	166
Tracom SC-G4-D-A-000 096F-04xP010VX-B12	167
Tracom SC-G4-D-B-000 096F-04xP010VX-B12	168
Tracom SC-G4-T-A-000 096F-04xP010VX-B12	169
Tracom SC-G4-T-B-000 096F-04xP010VX-B12	170
Tracom SC-H6-D-S-000 096F-04xP023V1-000	171
Tracom SC-K4-T-O-09S 024F-00x000000-000	172
Tracom SC-L5-D-A-36S 072F-03xP085VX-000	173
Tracom SC-L5-D-B-36S 072F-03xP085VX-000	174
Tracom SC-L5-T-A-000 144F-06xP085VX-B12	175
Tracom SC-L5-T-B-000 144F-06xP085VX-B12	176
Tracom SC-M2-D-S-000 096F-04xP023V1-000	177
Tracom SC-R5-D-O-000 144F-6xP045V1-B17	178
Tracom SC-R5-T-O-000 144F-6xP045V1-B17	179
Tracom SC-S7-T-O-000 144F-6xP045V1-B17	180
Tracom SC-T7-T-A-000 240F-10xP085VX-B12	181
Tracom SC-U7-T-A-000 288F-12xP085VX-B12	182

SPLICE TRAYS **183**

Fibre optic splice tray Tracom P009V1-12F [2x06F]	184
Fibre optic splice tray Tracom P010V1-24F [2x12F]	184
Fibre optic splice tray Tracom P010V2-24F [2x12F]	184
Fibre optic splice tray Tracom P023V1-24F [2x12F]	184
Fibre optic splice tray Tracom P024V1-24F [2x12F]	185
Fibre optic splice tray Tracom P025V1-24F [2x12F] BLACK	185
Fibre optic splice tray Tracom P025V2-24F [2x12F] BLACK	185
Fibre optic splice tray Tracom P026V1-12F [2x06F]	185
Fibre optic splice tray Tracom P037V1-12F [2x06F]	186
Fibre optic splice tray Tracom P037V2-12F [2x06F]	186
Fibre optic splice tray Tracom P045V1-24F [2x12F] + 1x PLC	186
Fibre optic splice tray Tracom P085V1-24F [1x24F]	186
Fibre optic splice tray Tracom P085V2-24F [1x24F]	187
Fibre optic splice tray Tracom P087V1-12F [1x12F]	187
Fibre optic splice tray Tracom P300V1-30F [2x15F]	187
Fibre optic splice tray Tracom P302V1-24F [2x12F]	187
Fibre optic splice tray Tracom P304V1-48F [2x24F]	188

Fibre optic splice tray Tracom P411V1-12F [1x12F]	188
Fibre optic splice tray Tracom P411V2-12F [1x12F]	188
Fibre optic splice tray Tracom P411V3-12F [1x12F]	188
Fibre optic splice tray Tracom P411V4-24F [1x24F] ANT	189
Fibre optic splice tray Tracom P502V1-24F [1x24F]	189
Fibre optic splice tray Tracom P502V2-48F [2x24F]	189
Fibre optic splice tray Tracom P512V1-24F [1x24F] BLACK	189




tracom

Fibre optic
enclosures

MINI SPLICE BOX TRACOM FOB-LINE

P-FOB-LINE



Product information

Product Name




Mini splice box Tracom
FOB-LINE

Dimensions [HxWxD] [mm]

160 x 48 x 17

MINI SPLICE BOX TRACOM FOB-LINE IP67

P-FOB-LINE-IP67



Product information

Product name

Mini splice box Tracom
FOB-LINE IP67

Dimensions [HxWxD] [mm]

160 x 48 x 17

MINI SPLICE BOX TRACOM FOB-LINE-SPLICE

P-FOB-LINE-SPLICE



Product information

Product name

Mini splice box Tracom
FOB-LINE-SPLICE

Dimensions [HxWxD] [mm]


160 x 48 x 17



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-FTTX-A

P-FOB-FTTX-A



Product information

Product name

Fibre optic termination box Tracom
FOB-FTTX-A

Dimensions
[HxWxD]
[mm]



86 x 86 x 24



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-FTTX-A v.2

P-FOB-FTTX-A2-P2



Product information

Product name

Fibre optic termination box Tracom
FOB-FTTX-A v.2

Dimensions
[HxWxD]
[mm]

86 x 86 x 24



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-FTTX-B v.2

P-FOB-FTTX-B2



Product information

Product name

Fibre optic termination box Tracom
FOB-FTTX-B v.2

Dimensions
[HxWxD]
[mm]

100 x 86 x 23



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-FTTX-C

P-FOB-FTTX-C



Product information

Product name

Fibre optic termination box Tracom
FOB-FTTX-C

Dimensions [HxWxD] [mm]

98 x 86 x 28




FIBRE OPTIC ENCLOSURES

FIBRE OPTIC TERMINATION BOX TRACOM

FOB-FTTX-E

P-FOB-FTTX-E-P2



Product information

Product name

Fibre optic termination box Tracom
FOB-FTTX-E

Dimensions
[HxWxD]
[mm]

85 x 85 x 26

FIBRE OPTIC TERMINATION BOX TRACOM

FOB-AM

P-FOB-AM



Product information

Product name

Fibre optic termination box Tracom
FOB-AM

Dimensions
[HxWxD]
[mm]

152 x 105 x 32



FIBRE OPTIC ENCLOSURES

FIBRE OPTIC TERMINATION BOX TRACOM

FOB-AM-STEEL

P-FOB-AM-STEEL



Product information

Product name

Dimensions
[HxWxD]
[mm]


Fibre optic termination box Tracom
FOB-AM-STEEL

151.5 x 106.5 x 30

FIBRE OPTIC TERMINATION BOX TRACOM

FOB-AM2-4S

P-FOB-AM2-4S



Product information

Product name

Fibre optic termination box Tracom
FOB-AM2-4S

Dimensions [HxWxD] [mm]


165 x 90 x 24



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-A02

P-FOB-A02



Product information

Product name

Fibre optic termination box Tracom
FOB-A02

Dimensions [HxWxD] [mm]


129.6 x 83.6 x 24



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-A02C

P-FOB-A02C



Product information

Product name

Fibre optic termination box Tracom
FOB-A02C


Dimensions [HxWxD] [mm]

105.6 x 83.6 x 24.5

FIBRE OPTIC TERMINATION BOX TRACOM

FOB-A04

P-FOB-A04



Product information

Product name

Fibre optic termination box Tracom
FOB-A04

Dimensions [HxWxD] [mm]


152 x 105 x 32



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-A04C

P-FOB-A04C



Product information

Product name

Fibre optic termination box Tracom
FOB-A04C

Dimensions [HxWxD] [mm]


183 x 130 x 31



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-A08

P-FOB-A08



Product information

Product name

Fibre optic termination box Tracom
FOB-A08

Dimensions [HxWxD] [mm]

205 x 115 x 32



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-B02

P-FOB-B02



Product information

Product name

Fibre optic termination box Tracom
FOB-B02


Dimensions [HxWxD] [mm]

100 x 80 x 23.5



FIBRE OPTIC TERMINATION BOX TRACOM FOB-C-8S (4112 V.2)

P-FOB-C



Product information


Product name	Number of inlet/outlet ports and max. diameter	Max. number of adapters	Max. number of trays	Dimensions [HxWxD] [mm]	Material
Fibre optic termination box Tracom FOB-C-8S (4112 V.2)	2 × Ø20mm	8 (SC Simplex / LC Duplex)	3	264 x 152 x 45	Cold-rolled steel (white color)



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-C-12S (P4112 v.2)

P-FOB-C-12S



Product information


Product name	Number of inlet/outlet ports and max. diameter	Max. number of adapters	Max. number of trays	Dimensions [HxWxD] [mm]	Material
Fibre optic termination box Tracom FOB-C-12S (P4112 v.2)	2 × Ø20mm	12 (SC Simplex / LC Duplex)	1	264 x 198mm x 65	Cold-rolled steel (white color)



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-C2-16S (P025)

P-FOB-C2



Product information

Product name	Number of inlet/outlet ports and max. diameter	Max. number of adapters	Max. number of trays	Dimensions [HxWxD] [mm]	Material
Fibre optic termination box Tracom FOB-C2-16S (P025)	2 × Ø20mm	16 (SC Simplex / LC Duplex)	5	264 x 156 x 72	Cold-rolled steel (white color)



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-C2-24S (P4112 v.2)

P-FOB-C2-24S




Product information

Product name	Number of inlet/outlet ports and max. diameter	Max. number of adapters	Max. number of trays	Dimensions [HxWxD] [mm]	Material
Fibre optic termination box Tracom FOB-C2-24S (P4112 v.2)	2 × Ø20mm	24 (SC Simplex / LC Duplex)	2	264 x 160 x 79	Cold-rolled steel (white color)

FIBRE OPTIC TERMINATION BOX TRACOM

FOB-D (P009)

P-FOB-D



Product information


Product name	Number of inlet/outlet ports and max. diameter	Max. number of trays	Max. number of splices	Dimensions [HxWxD] [mm]
Fibre optic termination box Tracom FOB-D (P009)	2 × Ø16mm	3 x P009	18/36	288 x 178 x 55



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-DM (P037)

P-FOB-DM



Product information


Product name	Number of inlet/outlet ports and max. diameter	Max. number of adapters	Max. number of splices	Dimensions [HxWxD] [mm]
Fibre optic termination box Tracom FOB-DM (P037)	2 × Ø16mm	4 × P037	24/48	288 x 158 x 55



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-G06

P-FOB-G06



Product information


Product name	Number of inlet/outlet ports and max. diameter	Max. number of adapters	Max. number of splices	Dimensions [HxWxD] [mm]	Material
Fibre optic termination box Tracom FOB-G06	2 × Ø20mm	4	6	155 x 112 x 40	Cold-rolled steel (white color)



FIBRE OPTIC TERMINATION BOX TRACOM

FOB-K08

P-FOB-K08



Product information

Product name	Number of inlet/outlet ports and max. diameter	Max. number of adapters	Max. number of splices	Dimensions [HxWxD] [mm]	Material
Fibre optic termination box Tracom FOB-K08	1 × Ø16mm (or PG9)	8	12	203 x 168 x 50	Cold-rolled steel (white color)

FIBRE OPTIC TERMINATION BOX TRACOM

FOB-SFP16

P-FOB-SFP16



Product information

Product name	Number of inlet/outlet ports and max. diameter	Max. number of adapters	Max. number of splices	Dimensions [HxWxD] [mm]	Material
Fibre optic termination box Tracom FOB-SFP16	1 × Ø48mm + 2 × Ø20mm (or 12mm with PG 13,5)	24	24	308 x 255 x 81	Cold-rolled steel (white color)



PATCH PANEL TRACOM 19" 1U (P3024)

P-PATCHPANEL-XXXX-X



Product information

Product name	Max. number of adapters	Rack	Max. number of trays (splices)	Dimensions [HxWxD] [mm]	Weight [kg]	Material	Inlet/outlet ports
Patch Panel Tracom 24x SC Duplex (2xP3024)	24	1U	2	1U x 19" x 290	1.35	ABS, UV Protection	4 x 24mm
Patch Panel Tracom 12x SC Simplex (2xP3024)	12	1U	2	1U x 19" x 290	1.35	ABS, UV Protection	4 x 24mm
Patch Panel Tracom 12x SC Duplex (2xP3024)	12	1U	2	1U x 19" x 290	1.35	ABS, UV Protection	4 x 24mm
Patch Panel Tracom 24x SC Simplex (2xP3024)	24	1U	2	1U x 19" x 290	1.35	ABS, UV Protection	4 x 24mm

PATCH PANEL TRACOM SLIDE 19" 1U (P3024)

P-PATCHPANEL-S-XXSCX





Product information

Product name	Max. number of adapters	Rack	Max. number of trays (splices)	Dimensions [HxWxD] [mm]	Weight [kg]	Material	Inlet/outlet ports
Patch Panel Tracom SLIDE 19" 1U, 12x SC Duplex (1xP3024)	24	1U	1	1U x 19" x 300	2.05	ABS + Steel	2 x 20.5mm
Patch Panel Tracom SLIDE 19" 1U, 12x SC Simplex (1xP3024)	12	1U	1	1U x 19" x 300	2.05	ABS + Steel	2 x 20.5mm
Patch Panel Tracom SLIDE 19" 1U, 24x SC Duplex (1xP3024)	48	1U	1	1U x 19" x 300	2.05	ABS + Steel	2 x 20.5mm
Patch Panel Tracom SLIDE 19" 1U, 24x SC Simplex (1xP3024)	24	1U	1	1U x 19" x 300	2.05	ABS + Steel	2 x 20.5mm



PATCH PANEL TRACOM SLIDE 19" 2U (P3024)

P-PATCHPANEL-X-XX-2U



Product information

Product name	Max. number of adapters	Rack	Max. number of trays (splices)	Dimensions [HxWxD] [mm]	Weight [kg]	Material	Inlet/outlet ports
Patch Panel Tracom SLIDE 19" 2U, 12x SC Duplex (4xP3024)	12	2U	4 x P3024 (12/24)	1U × 19" × 300	2.60	ABS + Steel	2 x 20.5mm
Patch Panel Tracom SLIDE 19" 2U, 12x SC Simplex (4xP3024)	12	2U	4 x P3024 (12/24)	1U × 19" × 300	2.60	ABS + Steel	2 x 20.5mm
Patch Panel Tracom SLIDE 19" 2U, 24x SC Duplex (4xP3024)	24	2U	4 x P3024 (12/24)	1U × 19" × 300	2.60	ABS + Steel	2 x 20.5mm
Patch Panel Tracom SLIDE 19" 2U, 24x SC Simplex (4xP3024)	24	2U	4 x P3024 (12/24)	1U × 19" × 300	2.60	ABS + Steel	2 x 20.5mm
Patch Panel Tracom SLIDE 19" 2U, 48x SC Simplex (4xP3024)	48	2U	4 x P3024 (12/24)	1U × 19" × 300	2.60	ABS + Steel	2 x 20.5mm

INSTALLATION KIT FTTX-A OPTIX ARP ZW-NOTKSdp

1F 50M 1xSC/APC

FTTX-A-ARP-1SCA-50P



Product information


Product name	Cable length [m]	Dimensions [HxWxD] [mm]
Installation kit FTTX-A OPTIX ARP ZW-NOTKSdp 1J 50M 1xSC/APC	50	86 x 86 x 24



INSTALLATION KIT FTTX-A OPTIX MINI W-NOTKSdD

1F 25M 1xSC/APC

FTTX-A-MINI-1SCA-25



Product information

Product name	Cable length [m]	Dimensions [HxWxD] [mm]
Installation kit FTTX-A OPTIX Mini W-NOTKSdD 1F 25M 1xSC/APC	25	86 x 86 x 24

INSTALLATION KIT FTTX-B OPTIX MINI W-NOTKSdD

1F 25M 1xSC/APC

FTTX-B-MINI-1SCA-25



Product information

Product name

Cable length
[m]

Dimensions
[HxWxD]
[mm]

Installation kit FTTX-B OPTIX Mini W-NOTKSdD 1F 25M 1xSC/APC


25

100 x 86 x 23

INSTALLATION KIT FTTX-C OPTIX MINI W-NOTKSdD

1F 25M 1xSC/APC

FTTX-C-MINI-1SCA-25



Product information

Product name	Cable length [m]	Dimensions [HxWxD] [mm]
Installation kit FTTX-C OPTIX Mini W-NOTKSdD 1F 25M 1xSC/APC	25	98 x 86 x 28

INSTALLATION KIT FTTX-E OPTIX MINI W-NOTKSdD

1F 25M 1xSC/APC

FTTX-C-MINI-1SCA-25



Product information

Product name	Cable length [m]	Dimensions [HxWxD] [mm]
Installation kit FTTX-E OPTIX Mini W-NOTKSdD 1F 25M 1xSC/APC	25	85 x 85 x 26





The logo for tracom, with the word "tracom" in a lowercase, blue, sans-serif font. Above the letters "a" and "o" are two thin, curved lines in blue and black, suggesting motion or signal paths.


**Modular fibre optic
enclosures**



MODULAR FIBRE OPTIC ENCLOSURE 19" TRACOM

ODF-U

P-ODF-U-XXJ-XU



Product information

Product name	Max. number of fibres	Rack	Number of modules - cassettes	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Modular fibre optic enclosure Tracom 19" ODF-U 24F (2U)	24	2U	2	5	2U × 19" × 270	Stainless Steel
Modular fibre optic enclosure Tracom 19" ODF-U 48F (3U)	48	3U	4	6.5	3U × 19" × 270	Stainless Steel
Modular fibre optic enclosure Tracom 19" ODF-U 98F (5U)	98	5U	8	10	5U × 19" × 270	Stainless Steel



MODULAR FIBRE OPTIC ENCLOSURES

MODULAR FIBRE OPTIC ENCLOSURE TRACOM

LGX - CHASSIS 1U 19" (LGX BOX)

P-LGX-CH-1U-LGX-STL





Product information

Product name	Enclosure type	Max. number of adapters	Rack	Max. number of modules (cassettes)	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Modular fibre optic enclosure Tracom LGX - Chassis 1U 19" (LGX BOX)	Tracom LGX 19"	27 (SC SX/LC DX)	1U	3	1.4	1U x 19" x 207	Aluminium



MODULAR FIBRE OPTIC ENCLOSURE TRACOM ODF CHASSIS 3U 19" (A+A2)

P-ODF-CH-3U-AA2-STL



Product information

Product name	Enclosure type	Max. number of adapters	Rack	Max. number of modules - cassettes	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Modular fibre optic enclosure Tracom ODF Chassis 3U 19" (A+A2)	Tracom VERTICAL 19"	108 (SC SX/LC DX)	3U	6 - 12	1.5	3U × 19" × 190	Cold-rolled steel (white color)



MODULAR FIBRE OPTIC ENCLOSURE TRACOM

ODF/LGX - CHASSIS 1U 19" (A+B)

P-LGX-CH-1U-AB-STL




Product information

Product name	Enclosure type	Max. number of adapters	Rack	Max. number of modules - cassettes	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Modular fibre optic enclosure Tracom ODF/LGX - Chassis 1U 19"	Tracom ODF/LGX 19"	27 (SC SX/LC DX)	1U	3	2.2	1U × 19" × 210	Cold-rolled steel (white color)



MODULAR FIBRE OPTIC ENCLOSURE TRACOM VERTICAL CHASSIS 3U 19"

P-VERTICAL-CH-3U





Product information

Product name	Enclosure type	Max. number of adapters	Rack	Max. number of modules - cassettes	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Modular fibre optic enclosure Tracom VERTICAL Chassis 3U 19"	Tracom VERTICAL 19"	144 (SC SX / LC DX)	3U	12	1.5	3U x 19" x 225	Cold-rolled steel (white color)



MODULAR FIBRE OPTIC ENCLOSURE TRACOM VERTICAL CHASSIS 3U 19" v.2

P-VERTICAL-CH-3U-V2




Product information

Product name	Enclosure type	Max. number of adapters	Rack	Max. Number of modules - cassettes	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Modular fibre optic enclosure Tracom VERTICAL Chassis 3U 19" v.2	Tracom VERTICAL 19"	144 (SC SX / LC DX)	3U	12	1.5	3U x 19" x 225	Cold-rolled steel (white color)



MODULAR FIBRE OPTIC ENCLOSURE TRACOM VERTICAL - MODULE 12x SC SIMPLEX (12)

P-VERTICAL-M-12SCSX



Product information

Product name	Enclosure type	Max. number of adapters	Rack	Max. number of splices	Dimensions [HxWxD] [mm]	Material
Modular fibre optic enclosure Tracom VERTICAL - Module 12x SC Simplex (12)	Pull-out cassette	12 (SC SX / LC DX)	3U	12	131 x 36 x 225	Cold-rolled steel (white color)
Modular fibre optic enclosure Tracom VERTICAL - Module 12x SC Simplex (12) v.2	Pull-out cassette	12 (SC SX/ LC DX)	3U	12	131 x 36 x 225	Cold-rolled steel (white color)



MODULAR FIBRE OPTIC ENCLOSURE TRACOM VERTICAL DIN - CHASSIS 3U 19"

P-VERTICAL-D-CH-3U-S



Product information

Product name	Enclosure type	Max. number of adapters	Rack	Max. number of modules - cassettes	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Modular fibre optic enclosure Tracom VERTICAL DIN - Chassis 3U 19"	Tracom VERTICAL 19"	72 - 288 (SC SX/SC DX/ST SX/LC DX/ LC QUAD)	3U	12	1.08	3U x 19" x 180	Cold-rolled steel (white color)

MODULAR FIBRE OPTIC ENCLOSURE TRACOM VERTICAL DIN - MODULE

P-VERTICAL-D-M-XXSXX



Product information

Product name	Module type	Max. number of adapters	Rack	Max. number of splices	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Modular fibre optic enclosure Tracom VERTICAL DIN - Module 12x SC Simplex (12)	DIN	12 (SC SX/ LC DX)	3U	12	0.2	133 x 35.5 x 130	Plastic material + Cold-rolled steel (white color)
Modular fibre optic enclosure Tracom VERTICAL DIN - Module 6x SC Duplex (12)	DIN	6 (SC DX/ LC QUAD)	3U	12	0.2	133 x 35.5 x 130	Plastic material + Cold-rolled steel (white color)
Modular fibre optic enclosure Tracom VERTICAL DIN - Module 6x SC Simplex (12)	DIN	6 (SC SX/ LC DX)	3U	12	0.2	133 x 35.5 x 130	Plastic material + Cold-rolled steel (white color)
Modular fibre optic enclosure Tracom VERTICAL DIN - Module 6x ST Simplex (12)	DIN	6 (ST SX)	3U	12	0.2	133 x 35.5 x 130	Plastic material + Cold-rolled steel (white color)



MODULE PORT COVER FOR TRACOM VERTICAL FIBRE OPTIC ENCLOSURE

P-VERTICAL-Z-BLANK




Product information

Product name	Dimensions [mm]	Material thickness [mm]	Weight [g]	Material
Module port cover for Tracom VERTICAL fibre optic enclosure	130 x 35 x 20	1,5	25,5	Powder coated aluminium



FIBRE OPTIC DISTRIBUTOR TRACOM M8 - CHASSIS 3U 19" (MAX. 8 MODULE T12)

ORG-TUB-3U-M8-CH-19



Product information

Product name	Max. tubes output	Rack	Max. number of modules	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Fibre optic distributor Tracom M8 - Chassis 3U 19" (max. 8 module T12)	96	3U	8	0.8	3U x 19" x 40	Cold-rolled steel (white color)

FIBRE OPTIC DISTRIBUTOR TRACOM T12 - MODULE 3U (MAX. 12 TUBES)

ORG-TUB-3U-T12-M



Product information

Product name	Max. tubes output	Rack	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Fibre optic distributor Tracom T12 - Module 3U (max. 12 tubes)	12	3U	0.25	157 x 54 x 40	Cold-rolled steel (white color)





tracom

Rack mount enclosures
and cabinets



RACK MOUNT ENCLOSURE TRACOM 19"

1U-2U (P4112 v.2/P3024)

P-1/2U-XX-S/D-N-V2



Product information

Product name	Max. number of adapters	Rack	Max. number of trays	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Rack mount enclosure Tracom 19", 12x SC Duplex, 1U (2xP4112 v.2)	12	1U	3	2	1U x 19" x 245	Cold-rolled steel (white color)
Rack mount enclosure Tracom 19", 12x SC Simplex, 1U (1xP4112 v.2)	12	1U	3	2	1U x 19" x 245	Cold-rolled steel (white color)
Rack mount enclosure Tracom 19", 24x FC/ST Simplex, 1U (2xP4112 v.2)	24	1U	3	2	1U x 19" x 245	Cold-rolled steel (white color)
Rack mount enclosure Tracom 19", 24x SC Duplex, 1U (2xP4112 v.2)	24	1U	3	2	1U x 19" x 245	Cold-rolled steel (white color)
Rack mount enclosure Tracom 19", 24x SC Simplex, 1U (2xP4112 v.2)	24	1U	3	2	1U x 19" x 245	Cold-rolled steel (white color)
Rack mount enclosure Tracom 19", 48x SC Simplex, 1U (2xP4112 v.2)	48	1U	3	2	1U x 19" x 245	Cold-rolled steel (white color)
Rack mount enclosure Tracom 19", 48x SC Duplex, 2U (4xP3024)	48	2U	6	2,5	2U x 19" x 245	Cold-rolled steel (white color)



RACK MOUNT ENCLOSURE TRACOM SLIDE 19" 1U-2U (P4112 v.2/P3024)

P-SLIDE-1/2U-XX-S/D-N-V2



Product information

Product name	Max. number of adapters	Rack	Max. number of trays	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Rack mount enclosure Tracom SLIDE 19", 12x SC Duplex, 1U (2xP4112 v.2)	12	1U	3	2.65	1U x 19" x 245	Cold-rolled steel (white color)
Rack mount enclosure Tracom SLIDE 19", 12x SC Simplex, 1U (1xP4112 v.2)	12	1U	3	2.65	1U x 19" x 245	Cold-rolled steel (white color)
Rack mount enclosure Tracom SLIDE 19", 24x SC Duplex, 1U (2xP4112 v.2)	24	1U	3	2.65	1U x 19" x 245	Cold-rolled steel (white color)
Rack mount enclosure Tracom SLIDE 19", 24x SC Simplex, 1U (2xP4112 v.2)	24	1U	3	2.65	1U x 19" x 245	Cold-rolled steel (white color)
Rack mount enclosure Tracom SLIDE 19", 48x SC Duplex, 2U (4xP3024)	48	2U	6	3.8	2U x 19" x 245	Cold-rolled steel (white color)

RACK MOUNT ENCLOSURE TRACOM CX PSS

12/24x SC SLX/DLX 1U

P-19-XX-SC-X-PSS



Product information

Product name	Max. number of adapters	Rack	Inlet ports	Dimensions [HxWxD] [mm]	Material
Rack mount enclosure Tracom CX PSS 12x SC DLX 1U	12	1U	6 (2x PG 13.5)	1U x 19" x 200	1mm Magnelis coated steel sheet
Rack mount enclosure Tracom CX PSS 12x SC SLX 1U	12	1U	6 (2x PG 13.5)	1U x 19" x 200	1mm Magnelis coated steel sheet
Rack mount enclosure Tracom CX PSS 24x SC DLX 1U	24	1U	6 (2x PG 13.5)	1U x 19" x 200	1mm Magnelis coated steel sheet
Rack mount enclosure Tracom CX PSS 24x SC SLX 1U	24	1U	6 (2x PG 13.5)	1U x 19" x 200	1mm Magnelis coated steel sheet

RACK MOUNT ENCLOSURE TRACOM CX PSW SLIDE 12/24xSC SLX/DLX 1U

P-19-XX-SC-X-PSW-SD



Product information

Product name	Max. number of adapters	Rack	Inlet ports	Dimensions [HxWxD] [mm]	Material
Rack mount enclosure Tracom CX PSW SLIDE 12x SC SLX 1U	12	1U	6 (2x PG 13.5)	1U x 19" x 240	1mm Magnelis coated steel sheet
Rack mount enclosure Tracom CX PSW SLIDE 24x SC DLX 1U	24	1U	6 (2x PG 13.5)	1U x 19" x 240	1mm Magnelis coated steel sheet
Rack mount enclosure Tracom CX PSW SLIDE 24x SC SLX 1U	24	1U	6 (2x PG 13.5)	1U x 19" x 240	1mm Magnelis coated steel sheet

RACK MOUNT ENCLOSURE TRACOM

ODF-W 24x SC SLX 1U (2x30(24))

P-ODF-W-48J-1U



Product information

Product name	Max. number of adapters	Rack	Max. number of trays	Weight [kg]	Dimensions [HxWxD] [mm]	Material
Rack mount enclosure Tracom ODF-W 24x SC SLX 1U (2x30(24))	24(SC)/48(LC)	1U	2	1.35	1U x 19" x 280	ABS



POLE MOUNT TRACOM CX ODF RACK

6/9/12U SZM-19"

SKRZ-SZM59/XX/XX




Product information

Product name	Model	Mechanical protection	Dimensions [HxWxD] [mm]	Material
Pole mount Tracom CX ODF RACK 6U SZM-19" 590/450/400	SKRZ-SZM59/45/40	IK10	590×450×400	1mm Magnelis coated steel sheet
Pole mount Tracom CX ODF RACK 9U SZM-19" 590/520/430	SKRZ-SZM59/52/43	IK10	590×520×430	1mm Magnelis coated steel sheet
Pole mount Tracom CX ODF RACK 12U SZM-19" 590/660/430	SKRZ-SZM59/66/43	IK10	590×660×430	1mm Magnelis coated steel sheet

POLE MOUNT TRACOM CX ODF RACK

SZM-10" 6U

SKRZ-SZM35/42/26



Product information

Product name	Model	Mechanical protection	Dimensions [HxWxD] [mm]	Material
Pole mount Tracom CX ODF RACK SZM-10" 6U 350/420/260	SKRZ-SZM35/42/26	IK10	350×420×260	1mm Magnelis coated steel sheet



FIELD RACK CABINET TRACOM

ODF-R OUTDOOR 18U 19"

SZ-ODF-R-18U-19-XS



Product information

Product name	Model	Ports/cable entries (cable glands and/or rubber grommets)	Dimensions [HxWxD] [mm]	Material
Field RACK cabinet Tracom ODF-R Outdoor 18U (stainless steel 201)	ODF-R-18U-19-SS	2 x ϕ 49.5mm	610 x 610 x 1090 615 x 650 x 1090 (with roof)	Stainless steel ~1.5-2.1mm
Field RACK cabinet Tracom ODF-R Outdoor 18U (galvanized steel)	ODF-R-18U-19-GS	2 x ϕ 49.5mm	610 x 610 x 1090 615 x 650 x 1090 (with roof)	Galvanized steel ~1.5-2.1mm



FIELD RACK CABINET TRACOM ODF-R-Z OUTDOOR 18U 19" v.2

SZ-ODF-RZ-18U-19-X2



Product information

Product name	Model	Ports/cable entries (cable glands and/or rubber grommets)	Dimensions [HxWxD] [mm]	Material
Field RACK cabinet Tracom ODF-R Outdoor 18U (galvanized steel) v.2	ODF-RZ-18U-19-GS-v2	2 x Φ 49.5 mm	625 x 610 x 1085 625 x 650 x 1085 (with roof)	Galvanized steel ~1.7-2.3 mm



FIELD RACK CABINET TRACOM ODF-R2-Z OUTDOOR 24U 19"

SZ-ODF-R2Z-24U-19-GS

ODF-R2Z-24U-19-SS



Product information

Product name	Model	Ports/cable entries (cable glands and/or rubber grommets)	Dimensions [HxWxD] [mm]	Material
Field RACK cabinet Tracom ODF-R2-Z Outdoor 24U 19" (stainless steel 201)	ODF-R2Z-24U-19-SS	2 x Φ 49.5mm	610x610x1090 615 x 650 x 1090 (with roof)	Stainless steel ~1.5-2.1mm
Field RACK cabinet Tracom ODF-R2-Z Outdoor 24U 19" (galvanized)	ODF-R2Z-24U-19-GS	2 x Φ 49.5mm	625 x 610 x 1440 625 x 650 x 1440 (with roof)	Galvanized steel ~1.5-2.1mm

FIELD RACK CABINET TRACOM ODF-R2-Z OUTDOOR 30U 19" v.2

SZ-ODF-R2Z-30U-19-X2



Product information


Product name	Model	Ports/cable entries (cable glands and/or rubber grommets)	Dimensions [HxWxD] [mm]	Material
Field RACK cabinet RACK ODF-R2-Z Outdoor 30U 19" (galvanized steel) v.2	SZ-ODF-R2Z-30U-19-G2	2 x Φ 49.5mm	625x610x1705 625x650x1705(with roof)	Galvanized steel ~1,7-2,3mm
Field RACK cabinet ODF-R2-Z Outdoor 30U 19" (stainless steel) v.2	SZ-ODF-R2Z-30U-19-S2	2 x Φ 49.5mm	625x610x1705 625x650x1705(with roof)	Stainless steel ~1,7-2,3mm



FIELD RACK CABINET TRACOM CX ODF-R

12/18U SZW-19"

SZR-SZW-XXU-19-XX/XX



Product information

Product name	Mechanical protection	Dimensions [HxWxD] [mm]	Material
Field RACK cabinet Tracom CX ODF-R 12U SZW-19"	IK10	610×890×610	1mm Magnelis coated steel sheet
Field RACK cabinet Tracom CX ODF-R 18U SZW-19"	IK10	610×890×610	1mm Magnelis coated steel sheet

FIELD RACK CABINET TRACOM CX ODF-R

2x25U SZW-19"

SZR-SZW-XXU-19-XX/XX



Product information

Product name	Mechanical protection	Dimensions [HxWxD] [mm]	Material
Field RACK cabinet Tracom CX ODF-R 12U SZW-19"	IK10	1166×1435×610	1mm Magnelis coated steel sheet



FIELD RACK CABINET TRACOM CX ODF-R2 24/30/36U SZWM-19"

SZR-SZW-XXU19-XXX/61




Product information

Product name	Mechanical protection	Degree of protection	Dimensions [HxWxD] [mm]	Material
Field RACK cabinet Tracom CX ODF-R2 24U SZWM-19"	IK10	IP54	610×1560×610	1mm Magnelis coated steel sheet
Field RACK cabinet Tracom CX ODF-R2 30U SZWM-19"	IK10	IP54	610×1830×610	1mm Magnelis coated steel sheet
Field RACK cabinet Tracom CX ODF-R2 36U SZWM-19"	IK10	IP54	610×2090×610	1mm Magnelis coated steel sheet

WALL MOUNT RACK CABINET TRACOM CX ODF-TPR 6U 19"

ODF-TPR-SZR-W-6U-19
SZR-W6U-TPR-56-34-60



Product information


Product name	Mechanical protection	Degree of protection	Dimensions [HxWxD] [mm]	Material
Wall mount RACK cabinet Tracom CX ODF-TPR 6U 19" 560/320/410	IK10	IP54	560 × 320 × 410	1mm Magnelis coated steel sheet
Wall mount RACK cabinet Tracom CX ODF-TPR 6U 19" 560/340/600	IK10	IP54	560 × 340 × 600	1mm Magnelis coated steel sheet



WALL MOUNT RACK CABINET TRACOM

10W-04/06-0303-GL-GR-1S

10W-0X-0303-GL-GR-1S



Product information

Product name	Rack	Cabinet type	Doors	Dimensions [HxWxD] [mm]	Number of sections	Color	Material
Wall mount RACK cabinet Tracom 10W-04-0303-GL-GR-1S	10" 4U	Hanging	Tempered glass	300 x 300 x 280	1S	Gray	Cool-rolled steel
Wall mount RACK cabinet Tracom 10W-06-0303-GL-GR-1S	10" 6U	Hanging	Tempered glass	300 x 300 x 280	1S	Gray	Cool-rolled steel

WALL MOUNT RACK CABINET TRACOM 19W-04-0604/0606-GL-BL/GR-1S

19W-04-060X-GL-XX-1S




Product information

Product name	Rack	Cabinet type	Doors	Dimensions [HxWxD] [mm]	Color	Number of sections	Material
Wall mount RACK cabinet TRACOM 19W-04-0606-GL-BL-1S	19" 4U	Hanging	Tempered glass	600 x 600 x 280	Black	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-04-0606-GL-GR-1S	19" 4U	Hanging	Tempered glass	600 x 600 x 280	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-04-0604-GL-BL-1S	19" 4U	Hanging	Tempered glass	600 x 450 x 280	Black	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-04-0604-GL-GR-1S	19" 4U	Hanging	Tempered glass	600 x 450 x 280	Gray	1S	Cool-rolled steel



WALL MOUNT RACK CABINET TRACOM 19W-06-0604/0606-GL/ME-BL/GR-1S/2S

19W-06-060X-XX-XX-XS






Product information

Product name	Rack	Cabinet type	Doors	Dimensions [HxWxD] [mm]	Color	Number of sections	Material
Wall mount RACK cabinet TRACOM 19W-06-0604-GL-BL-1S	19" 6U	Hanging	Tempered glass	600 x 450 x 370	Black	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-06-0604-GL-GR-1S	19" 6U	Hanging	Tempered glass	600 x 450 x 370	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-06-0604-ME-GR-1S	19" 6U	Hanging	Metal	600 x 450 x 370	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-06-0606-GL-BL-1S	19" 6U	Hanging	Tempered glass	600 x 600 x 370	Black	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-06-0606-GL-GR-1S	19" 6U	Hanging	Tempered glass	600 x 600 x 370	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-06-0606-ME-GR-1S	19" 6U	Hanging	Metal	600 x 600 x 370	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-06-0606-GL-BL-2S	19" 6U	Hanging	Tempered glass	600 x 600 x 370	Black	2S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-06-0606-GL-GR-2S	19" 6U	Hanging	Tempered glass	600 x 600 x 370	Gray	2S	Cool-rolled steel

WALL MOUNT RACK CABINET TRACOM 19W-09-0604/0606-GL/ME-BL/GR-1S/2S

19W-09-060X-XX-XX-XS





Product information

Product name	Rack	Cabinet type	Doors	Dimensions [HxWxD] [mm]	Color	Number of sections	Material
Wall mount RACK cabinet TRACOM 19W-09-0604-GL-BL-1S	19" 9U	Hanging	Tempered glass	600 x 450 x 505	Black	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-09-0604-GL-GR-1S	19" 9U	Hanging	Tempered glass	600 x 450 x 505	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-09-0604-ME-GR-1S	19" 9U	Hanging	Metal	600 x 450 x 505	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-09-0606-GL-BL-1S	19" 9U	Hanging	Tempered glass	600 x 600 x 505	Black	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-09-0606-GL-GR-1S	19" 9U	Hanging	Tempered glass	600 x 600 x 505	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-09-0606-ME-GR-1S	19" 9U	Hanging	Metal	600 x 600 x 505	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-09-0606-GL-BL-2S	19" 9U	Hanging	Tempered glass	600 x 600 x 505	Black	2S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-09-0606-GL-GR-2S	19" 9U	Hanging	Tempered glass	600 x 600 x 505	Gray	2S	Cool-rolled steel



WALL MOUNT RACK CABINET TRACOM 19W-12-0604/0606-GL/ME-BL/GR-1S/2S

19W-12-060X-XX-XX-XS



Product information

Product name	Rack	Cabinet type	Doors	Dimensions [HxWxD] [mm]	Color	Number of sections	Material
Wall mount RACK cabinet TRACOM 19W-12-0604-GL-BL-1S	19" 12U	Hanging	Tempered glass	600 x 450 x 640	Black	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-12-0604-GL-GR-1S	19" 12U	Hanging	Tempered glass	600 x 450 x 640	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-12-0604-ME-GR-1S	19" 12U	Hanging	Metal	600 x 450 x 640	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-12-0606-GL-BL-1S	19" 12U	Hanging	Tempered glass	600 x 600 x 640	Black	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-12-0606-GL-GR-1S	19" 12U	Hanging	Tempered glass	600 x 600 x 640	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-12-0606-ME-GR-1S	19" 12U	Hanging	Metal	600 x 600 x 640	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-12-0606-GL-BL-2S	19" 12U	Hanging	Tempered glass	600 x 600 x 640	Black	2S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-12-0606-GL-GR-2S	19" 12U	Hanging	Tempered glass	600 x 600 x 640	Gray	2S	Cool-rolled steel

WALL MOUNT RACK CABINET TRACOM

19W-15-0604/0606-GL-BL/GR-1S

19W-15-060X-GL-XX-1S



Product information

Product name	Rack	Cabinet type	Doors	Dimensions [HxWxD] [mm]	Color	Number of sections	Material
Wall mount RACK cabinet TRACOM 19W-15-0604-GL-BL-1S	19" 15U	Hanging	Tempered glass	600 x 450 x 775	Black	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-15-0604-GL-GR-1S	19" 15U	Hanging	Tempered glass	600 x 450 x 775	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-15-0606-GL-BL-1S	19" 15U	Hanging	Tempered glass	600 x 600 x 775	Black	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-15-0606-GL-GR-1S	19" 15U	Hanging	Tempered glass	600 x 600 x 775	Gray	1S	Cool-rolled steel



WALL MOUNT RACK CABINET TRACOM

19W-18-0604/0606-GL-BL/GR-1S

19W-18-060X-GL-XX-1S



Product information

Product name	Rack	Cabinet type	Doors	Dimensions [HxWxD] [mm]	Color	Number of sections	Material
Wall mount RACK cabinet TRACOM 19W-18-0604-GL-BL-1S	19" 18U	Hanging	Tempered glass	600 x 450 x 910	Black	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-18-0604-GL-GR-1S	19" 18U	Hanging	Tempered glass	600 x 450 x 910	Gray	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-18-0606-GL-BL-1S	19" 18U	Hanging	Tempered glass	600 x 600 x 910	Black	1S	Cool-rolled steel
Wall mount RACK cabinet TRACOM 19W-18-0606-GL-GR-1S	19" 18U	Hanging	Tempered glass	600 x 600 x 910	Gray	1S	Cool-rolled steel

FLOOR STANDING RACK CABINET TRACOM

19S-22-0606/0608-GL-BL

19S-22-060X-GL-BL



Product information

Product name	Rack	Cabinet type	Doors	Dimensions [HxWxD] [mm]	Color	Material
Floor standing RACK cabinet Tracom 19S-22-0606-GL-BL	19" 22U	Standing	Tempered glass	600x600x1100	Black	Cool-rolled steel
Floor standing RACK cabinet Tracom 19S-22-0608-GL-BL	19" 22U	Standing	Tempered glass	600x800x1100	Black	Cool-rolled steel



FLOOR STANDING RACK CABINET TRACOM

19S-27-0606/0608/0610/0808-GL-BL

19S-27-0XXX-GL-BL



Product information

Product name	Rack	Cabinet type	Doors	Dimensions [HxWxD] [mm]	Color	Material
Floor standing RACK cabinet TRACOM 19S-27-0606-GL-BL	19" 27U	Standing	Tempered glass	600x600x1320	Black	Cool-rolled steel
Floor standing RACK cabinet TRACOM 19S-27-0608-GL-BL	19" 27U	Standing	Tempered glass	600x800x1320	Black	Cool-rolled steel
Floor standing RACK cabinet TRACOM 19S-27-0610-GL-BL	19" 27U	Standing	Tempered glass	600x1000x1320	Black	Cool-rolled steel
Floor standing RACK cabinet TRACOM 19S-27-0808-GL-BL	19" 27U	Standing	Tempered glass	800x800x1320	Black	Cool-rolled steel

FLOOR STANDING RACK CABINET TRACOM

19S-32-0606/0608/0610/0808-GL-BL

19S-32-0XXX-GL-BL



Product information

Product name	Rack	Cabinet type	Doors	Dimensions [HxWxD] [mm]	Color	Material
Floor standing RACK cabinet TRACOM 19S-32-0606-GL-BL	19" 32U	Standing	Tempered glass	600x600x1540	Black	Cool-rolled steel
Floor standing RACK cabinet TRACOM 19S-32-0608-GL-BL	19" 32U	Standing	Tempered glass	600x800x1540	Black	Cool-rolled steel
Floor standing RACK cabinet TRACOM 19S-32-0610-GL-BL	19" 32U	Standing	Tempered glass	600x1000x1540	Black	Cool-rolled steel
Floor standing RACK cabinet TRACOM 19S-32-0808-GL-BL	19" 32U	Standing	Tempered glass	800x800x1540	Black	Cool-rolled steel



FLOOR STANDING RACK CABINET TRACOM

19S-37-0606/0608/0610/0808-GL-BL

19S-37-0XXX-GL-BL



Product information

Product name	Rack	Cabinet type	Doors	Dimensions [HxWxD] [mm]	Color	Material
Floor standing RACK cabinet TRACOM 19S-37-0606-GL-BL	19" 37U	Standing	Tempered glass	600x600x1765	Black	Cool-rolled steel
Floor standing RACK cabinet TRACOM 19S-37-0608-GL-BL	19" 37U	Standing	Tempered glass	600x800x1765	Black	Cool-rolled steel
Floor standing RACK cabinet TRACOM 19S-37-0610-GL-BL	19" 37U	Standing	Tempered glass	600x1000x1765	Black	Cool-rolled steel
Floor standing RACK cabinet TRACOM 19S-37-0808-GL-BL	19" 37U	Standing	Tempered glass	800x800x1765	Black	Cool-rolled steel

FLOOR STANDING RACK CABINET TRACOM

19S-42-0608/0610/0808/0810-GL-BL

19S-42-0XXX-GL-BL



Product information

Product name	Rack	Cabinet type	Doors	Dimensions [HxWxD] [mm]	Color	Material
Floor standing RACK cabinet TRACOM 19S-42-0608-GL-BL	19" 42U	Standing	Tempered glass	600x800x1990	Black	Cool-rolled steel
Floor standing RACK cabinet TRACOM 19S-42-0610-GL-BL	19" 42U	Standing	Tempered glass	600x1000x1990	Black	Cool-rolled steel
Floor standing RACK cabinet TRACOM 19S-42-0808-GL-BL	19" 42U	Standing	Tempered glass	800x800x1990	Black	Cool-rolled steel
Floor standing RACK cabinet TRACOM 19S-42-0810-GL-BL	19" 42U	Standing	Tempered glass	800x1000x1990	Black	Cool-rolled steel



RACK SHELF TRACOM CX 19" 2U REAR-FRONT ADJUSTMENT


SZR-SHELF-2U-19-REG



Product information			
Product name	Mechanical protection	Dimensions [HxWxD] [mm]	Material
RACK shelf Tracom CX 19" 2U rear-front adjustment	IK10	480×88×380	1mm Magnelis coated steel sheet

RACK SHELF 10" 1U TRACOM CX, d. 150mm


SZR-SHELF-1U-10-150



Product information			
Product name	Mechanical protection	Dimensions [HxWxD] [mm]	Material
RACK shelf 10" 1U Tracom CX, d. 150mm	IK10	255×44×150	1mm Magnelis coated steel sheet

RACK SHELF 19" 1U TRACOM CX, d. 200mm


SZR-SHELF-1U-19-200



Product information			
Product name	Mechanical protection	Dimensions [HxWxD] [mm]	Material
RACK shelf 19" 1U Tracom CX, d. 200mm	IK10	480×44×200	1mm Magnelis coated steel sheet

RACK SHELF 19" 1U TRACOM CX, d. 260mm

SZR-SHELF-1U-19-260




Product information

Product name	Dimensions (WxHxD) [mm]	Mechanical protection	Material
RACK shelf 19" 1U Tracom CX, d. 260mm	480×44×260	IK10	1mm Magnelis coated steel sheet

RACK SHELF 19" 2U TRACOM CX, d. 350mm

SZR-SHELF-2U-19-350



Product information

Product name	Dimension (WxHxD) [mm]	Mechanical protection IK	Material
RACK shelf 19" 2U Tracom CX, d. 350mm	480×88×350	10	1mm Magnelis coated steel sheet



VOLTAGE DISTRIBUTION PANEL 19" 3U TRACOM CX

PANEL-DYST-NAP-3U-CX



Product information

Product name	Dimensions (WxHxD) [mm]	Mechanical protection	Material
Voltage distribution panel 19" 3U Tracom CX	480×88×350	IK10	1mm Magnelis coated steel sheet



The logo for tracom, with the word "tracom" in a lowercase, blue, sans-serif font. Above the letters "a" and "o" are thin, curved lines in blue and black, suggesting a signal or wave.

**Mount enclosures
and cabinets**



FIBRE OPTIC ENCLOSURE TRACOM CX PD-FTTH 4F 140/150/60

P-PD-FTTH-4J-140



Product information

Product name	Number of inlet/ outlet ports and max. diameter	Max. number of adapters	Max. number of splices (enclosure)	Dimensions [HxWxD] [mm]	Material
Fibre optic enclosure Tracom CX PD-FTTH 4F 140/150/60	4x Ø13mm	4x SC Simplex	6	140 x 150 x 60	1mm Magnelis coated steel sheet

FIBRE OPTIC ENCLOSURE TRACOM CX PD-FTTH 12F 160/270/60

P-PD-FTTH-12-SC-S



Product information

Product name	Number of inlet/ outlet ports and max. diameter	Max. number of adapters	Dimensions [HxWxD] [mm]	Material
Fibre optic enclosure Tracom CX PD-FTTH 12F 160/270/60	3x Ø20.5mm 1x Ø11mm 1x PG 13.5mm	12x SC Simplex	160 x 270 x 60	1mm Magnelis coated steel sheet



WALL MOUNT OPTICAL DISTRIBUTION CABINET

TRACOM CX ODF PD-FTTH 12/16/24/36F

ODF-PD-FTTH-XX-XXX




Product information

Product name	Model	Mechanical protection	Max. number of adapters	Dimensions [HxWxD] [mm]	Material
Wall mount optical distribution cabinet Tracom CX ODF PD-FTTH 12F 200/200/50	ODF-PD-FTTH-12F-200	IK8	12x SC Simplex	200 x 200 x 50	1mm Magnelis coated steel sheet
Wall mount optical distribution cabinet Tracom CX ODF PD-FTTH 12F 290/290/100	S-ODF-PD-FTTH-12F	IK8	12x SC Simplex	290 x 290 x 90	1mm Magnelis coated steel sheet
Wall mount optical distribution cabinet Tracom CX ODF PD-FTTH 16F	ODF-PD-FTTH-16F-300	IK8	16x SC Simplex	300 x 300 x 100	1mm Magnelis coated steel sheet
Wall mount optical distribution cabinet Tracom CX ODF PD-FTTH 24F	S-ODF-PD-FTTH-24F	IK8	24x SC Simplex	290 x 290 x 90	1mm Magnelis coated steel sheet
Wall mount optical distribution cabinet Tracom CX ODF PD-FTTH 36F	ODF-PD-FTTH-36F-300	IK8	18x SC Duplex	300 x 300 x 100	1mm Magnelis coated steel sheet

WALL MOUNT OPTICAL DISTRIBUTION CABINET TRACOM CX ODF RDD-FTTH 72/96F

S-RDD-XXJ-55/32/15




Product information

Product name	Model	Mechanical protection	Dimensions [HxWxD] [mm]	Material
Wall mount optical distribution cabinet Tracom CX ODF RDD-FTTH 72F	S-RDD-72F-55/32/15	IK8	550×320×150	1mm Magnelis coated steel sheet
Wall mount optical distribution cabinet Tracom CX ODF RDD-FTTH 96F	S-RDD-96F-55/32/15	IK8	550×320×150	1mm Magnelis coated steel sheet



WALL MOUNT OPTICAL DISTRIBUTION CABINET TRACOM CX ODF RDD-FTTH 96F 530/310/200+RESERVE CABLE MODULE

ODF-RDD-FTTH-96J-530-ZK




Product information

Product name	Model	Mechanical protection	Dimensions [HxWxD] [mm]	Material
Wall mount optical distribution cabinet Tracom CX ODF RDD-FTTH 96F 530/310/200+reserve cable module	ODF-RDD-FTTH-96F-530-ZK	IK8	530×310×200	1mm Magnelis coated steel sheet



WALL MOUNT OPTICAL DISTRIBUTION CABINET TRACOM CX ODF SZ-FTTH 24F 350/420/170

ODF-SZ-FTTH-24J-350



Product information

Product name	Model	Mechanical protection	Dimensions [HxWxD] [mm]	Material
Wall mount optical distribution cabinet Tracom CX ODF SZ-FTTH 24F 350/420/170	ODF-SZ-FTTH-24F-350	IK10	350×420×170	1mm Magnelis coated steel sheet



POLE MOUNT OPTICAL DISTRIBUTION CABINET TRACOM CX ODF SZM 300/310/180

ODF-MASZT-SZM-300




Product information

Product name	Model	Mechanical protection	Dimensions [HxWxD] [mm]	Material
Pole mount optical distribution cabinet Tracom CX ODF SZM 300/310/180	ODF-MASZT-SZM-300	IK10	300×310×180	1mm Magnelis coated steel sheet



WALL MOUNT OPTICAL DISTRIBUTION CABINET TRACOM ODF-B 24/48F (STAINLESS STEEL 201)

S-ODF-B-XXJ-SS




Product information

Product name	Model	Degree of protection	Ports/cable entries (cable glands and/or rubber grommets)	Max. number of adapters	Max. number of splices	Dimensions [HxWxD] [mm]	Material
Wall mount optical distribution cabinet Tracom ODF-B 24F (stainless steel 201)	ODF-B-24JF	IP30	Up: 4 x Φ 25mm Down: 4 x Φ 25mm	24 SC Simplex	24 (2 x Tray 12F)	350 x 315 x 85	Stainless steel 201
Wall mount optical distribution cabinet Tracom ODF-B 48F (stainless steel 201)	ODF-B-48F	IP30	Up: 2 x Φ 25mm + 2 x Φ 40mm Down: 2 x Φ 25mm + 2 x Φ 40mm	48 SC Simplex	48 (4 x Tray 12F)	350 x 315 x 145	Stainless steel 201



WALL MOUNT OPTICAL DISTRIBUTION CABINET TRACOM ODF-T OUTDOOR 24/48F

S-ODF-T-O-XXJ-SS




Product information

Product name	Model	Degree of protection	Ports/cable entries (cable glands and/or rubber grommets)	Max. number of adapters	Max. number of splices	Dimensions [HxWxD] [mm]	Material
Wall mount optical distribution cabinet Tracom ODF-T Outdoor 24F (stainless steel 201)	S-ODF-T-O-24F-SS	IP65	Down: 2 x Φ 25mm(PG19) + 1 x Φ 50mm	24 SC Simplex	24 (2 x Tray 12F)	425x365x112	Stainless steel 201
Wall mount optical distribution cabinet Tracom ODF-T Outdoor 48F (stainless steel 201)	S-ODF-T-O-48F-SS	IP65	Down: 2 x Φ 25mm(PG19) + 1 x Φ 50mm	48 SC Simplex	48 (4 x Tray 12F)	435x385x152	Stainless steel 201

WALL MOUNT OPTICAL DISTRIBUTION CABINET

TRACOM CX ODF SZKŁD 24F 250/250/100

SKRZYN ZK 25-25-10 P



Product information

Product name	Model	Mechanical protection	Ports/cable entries (cable glands and/or rubber grommets)	Max. number of adapters	Dimensions [HxWxD] [mm]	Material
Wall mount optical distribution cabinet Tracom CX ODF SZKŁD 24F 250/250/100	SKRZYN ZK 25-25-10 P	IK8	4x Ø19mm	24 SC Simplex	250×250×100	1mm Magnelis coated steel sheet



WALL MOUNT OPTICAL DISTRIBUTION CABINET TRACOM CX ODF SZKŁD 250/250/100

SKRZYŃKA ZK 25-25-10



Product information

Product name	Model	Mechanical protection	Ports/cable entries (cable glands and/or rubber grommets)	Dimensions [HxWxD] [mm]	Material
Wall mount optical distribution cabinet Tracom CX ODF SZKŁD 250/250/100	SKRZYŃKA ZK 25-25-10	IK8	4x Ø19mm	250×250×100	1mm Magnelis coated steel sheet



The logo for tracom, featuring a blue wave graphic above the text "tracom" in a lowercase, sans-serif font. The "tr" is black and the "acom" is blue.

Other mount
enclosures



FIELD OPTICAL DISTRIBUTION CABINET TRACOM

ODF-O OUTDOOR 144/288F

SZ-ODF-O-XXXJ-XXX



Product information

Product name	Model	Ports/cable entries (cable glands and/or rubber grommets)	Max. number of adapters	Max. number of splices (trays)	Max. number of splices (cassettes)	Dimensions [HxWxD] [mm]	Material
Field optical distribution cabinet TRACOM ODF-O Outdoor 144F (galvanized steel)	SZ-ODF-O-144J-CRS	20 x Φ 34mm	144 SC Simplex	24 (48*) 6 x Tray 6F	144 12 x Cassette 12F	1035 x 560 x 310	Galvanized steel
Field optical distribution cabinet TRACOM ODF-O Outdoor 144F (SMC)	SZ-ODF-O-144J-SMC	6 x Φ 22mm	144 SC Simplex	24 (48*) 2 x Tray 12F	144 12 x Cassette 12F	960 x 527 x 325	SMC
Field optical distribution cabinet TRACOM ODF-O Outdoor 144F (stainless steel 201)	SZ-ODF-O-144J-SS	20 x Φ 34mm	144 SC Simplex	24 (48*) 6 x Tray 6F	144 12 x Cassette 12F	1035 x 560 x 310	Stainless steel 201
Field optical distribution cabinet TRACOM ODF-O Outdoor 288F (galvanized steel)	SZ-ODF-O-288J-CRS	25 x Φ 34mm	288 SC Simplex	72 (144*) 12 x Tray 6F	288 24 x Cassette 12F	1460 x 760 x 330	Galvanized steel
Field optical distribution cabinet TRACOM ODF-O Outdoor 288F (SMC)	SZ-ODF-O-288J-SMC	16 x Φ 26mm + 18 x Φ 22mm	288 SC Simplex	72 12 x Tray 6F	288 24 x Cassette 12F	1442 x 758 x 325	SMC

OTHER MOUNT ENCLOSURES

FIELD OPTICAL DISTRIBUTION CABINET TRACOM

CX FTTH 48/72F

S&UPEK-SZS-XX-XXX-XX



Product information

Product name	Model	Mechanical protection	Dimensions [HxWxD] [mm]	Material
Field optical distribution cabinet Tracom CX FTTH 48F SZS-250/1670/210	S&UPEK-SZS-25-167-21	IK10	247×1666×211	1mm Magnelis coated steel sheet
Field optical distribution cabinet Tracom CX FTTH 72F SZS-430/1450/200	S&UPEK-SZS-43-145-20	IK10	430×1450×200	1mm Magnelis coated steel sheet



OTHER MOUNT ENCLOSURES

FIELD OPTICAL DISTRIBUTION CABINET TRACOM CX FTTH 72F SZS-430/1850/200 + CABLE RESERVE

SŁUPEK-SZS-43-185-20



Product information

Product name	Model	Mechanical protection	Dimensions [HxWxD] [mm]	Material
Field optical distribution cabinet Tracom CX FTTH 72F SZS-430/1850/200 + cable reserve	SŁUPEK-SZS-43-185-20	IK10	430x1850x200	1mm Magnelis coated steel sheet

OTHER MOUNT ENCLOSURES

FIELD OPTICAL DISTRIBUTION CABINET TRACOM CX FTTH FOSC SZS-430/1430/230

SŁUPEK-FTTH-FOSC-SZS-43



Product information

Product name	Model	Mechanical protection	Dimensions [HxWxD] [mm]	Material
Field optical distribution cabinet Tracom CX FTTH FOSC SZS-430/1430/230	SŁUPEK-FTTH-FOSC-SZS-43	IK10	430×1850×200	1mm Magnelis coated steel sheet



tracom

Fibre optic
splice closures



FIBRE OPTIC SPLICE CLOSURES

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-A6-D-O-000 096F-04xP024V1-000

TR-FOSC-A



Product information


Product name	Number of inlet ports and max. diameter	Max. number of trays	Max. number of splices	Dimensions [mm]
Fibre optic splice closure Tracom SC-A6-D-O-000 096F-04xP024V1-000	2 x Φ 23mm, 2 x Φ 20mm, 2 x Φ 16mm	4 x P024 (12/24)	48/96*	400 x 200 x 110

* with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-A6-D-O-000 096F-08xP411V3-000

TR-FOSC-A2V2



Product information

Product name	Number of inlet/ outlet ports and max. diameter	Max. number of trays	Max. number of splices	Dimensions [mm]
Fibre optic splice closure Tracom SC-A6-D-O-000 096F-08xP411V3-000	4 x Φ 14.9mm, 2 x Φ 13mm	8 x P4112 v.3 (12)	96	465 x 177 x 120

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-B6-D-O-000 048F-04xP026V1-000

TR-FOSC-B



Product information



Product name	Number of inlet/ outlet ports and max. diameter	Max. number of trays	Max. number of splices	Dimensions [mm]
Fibre optic splice closure Tracom SC-B6-D-O-000 048F-04xP026V1-000	2 x $\Phi 22\text{mm}$, 2 x $\Phi 20\text{mm}$, 2 x $\Phi 16\text{mm}$	4 x P026 (6/12)	24	405 x 200 x 110




FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-C4-D-O-000 120F-05xP025V2-000

TR-FOSC-C



Product information


 Product name	Number of inlet/ outlet ports and max. diameter	Max. number of trays	Max. number of splices	Dimensions [mm]
Fibre optic splice closure Tracom SC-C4-D-O-000 120F-05xP025V2-000	4× Φ20mm	5× P025 (12/24) BLACK v.2	60/120*	425 x 174 x 150

* with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-C8-D-O-000 288F-12xP512V1-000

TR-FOSC-C2



Product information


Product name	Number of inlet/ outlet ports and max. diameter	Max. number of trays	Max. number of splices	Dimensions [mm]
Fibre optic splice closure Tracom SC-C8-D-O-000 288F-12xP512V1-000	4× Ø16mm, 4× Ø19mm	12× P025 (12/24) BLACK v.2	288	580 x 250 x 135



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-E4-D-O-000 024F-01x000000-000

TR-FOSC-E



Product information

Product name	Number of inlet/ outlet ports and max. diameter	Max. number of trays	Max. number of splices	Dimensions [mm]
Fibre optic splice closure Tracom SC-E4-D-O-000 024F-01x000000-000	4 x ~15mm	1	12/24*	243 x 149.5 x 31

* with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM

C-F4-D-S-000 024F-01x000000-000

TR-FOSC-F



Product information

Product name	Number of inlet/ outlet ports and max. diameter	Max. number of trays	Max. number of splices	Dimensions [mm]
Fibre optic splice closure Tracom SC-F4-D-S-000 024F-01x000000-000	4 x ~16mm	1	12/24*	210 x 205 x 50

* with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-I4-D-O-000 012F-00x000000-000

TR-FOSC-I



Product information

Product name	Number of inlet/ outlet ports and max. diameter	Max. number of trays	Max. number of splices	Dimensions [mm]
Fibre optic splice closure SC-I4-D-O-000 012F-00x000000-000	4 x ~10mm	Dedicated tray for splices	6/12*	298 x 100 x 41.4

* with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURES

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-J6-D-O-000 072F-03xP502VX-000

TR-FOSC-J



Product information

Product name	Number of inlet/ outlet ports and max. diameter	Max. number of trays able to install	Max. number of splices	Dimensions [mm]
Fibre optic splice closure SC-J6-D-O-000 072F-03xP502VX-000	4× Φ -8mm, 2× Φ -13mm	3× P5024 (24)	72	243 x 149.5 x 31



FIBRE OPTIC SPLICE CLOSURE TRACOM SC-O12-D-S-000 048F-04xP018V1-000

TR-FOSC-O-4XP018




Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. splice capacity	Max. number of trays able to install	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom SC-O12-D-S-000 048F-04xP018V1-000	276 x 171.8 x 75.7	0.65	No	48	4xP018 (12)	Mechanical	2 x Φ 8mm, 2 x Φ 12mm	4 x (20x12mm)/ 8x Φ 2.5mm

FIBRE OPTIC SPLICE TRAY TRACOM P018V1-12F [1x12F]

T-P018-12



Product information

Product name	Overall dimensions/ tray surface [mm]	Splices	Double laying of splices	Splice protector length [mm]
Fibre optic splice tray Tracom P018V1-12F [1x12F]	123x126.7x14/ 119.8x116.9x5.6	12	No	60



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-O12-D-S-09S 012F-00x000000-000

TR-FOSC-0



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. splice capacity	Max. number of trays able to install	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom SC-O12-D-S-09S 012F-00x000000-000	276 x 171.8 x 75.7	0.65	No	12	1	Mechanical	2 x Φ 8mm, 2 x Φ 12mm, 8 x Φ 2.5mm	-



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX DAC 2+24IN (48/96F +PATCH PANEL)

TR-FTTXDAC-2+24IN-XX




Product information

Product name	Number of inlet/outlet ports	Max. number of adapters able to install	Max. number of splices	Dimensions [mm]
Fibre optic splice closure Tracom FTTX DAC 2+24IN Ø4mm +Panel	2x $\Phi 10-17,5\text{mm}$ (uncut port) + 24x $\Phi 4\text{mm}$	24	96*	380 x 245 x 130
Fibre optic splice closure Tracom FTTX DAC 2+24IN Ø6mm +Panel v2	2x $\Phi 10-17,5\text{mm}$ (uncut port) + 24x $\Phi 6\text{mm}$	24	96*	380 x 245 x 130
Fibre optic splice closure Tracom FTTX DAC 2+24IN Ø7mm +Panel	2x $\Phi 10-17,5\text{mm}$ (uncut port) + 24x $\Phi 7\text{mm}$	24	96*	380 x 245 x 130

* with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX DAC 4+16IN (48/96F +PATCH PANEL) v2

TR-FTTXDAC-4+16IN-XX



Product information

Product name	Number of inlet/outlet ports	Max. number of adapters	Max. number of splices	Dimensions [mm]
Fibre optic splice closure Tracom FTTX DAC 4+16IN Ø4mm +Panel v2	2x Ø10-17,5mm (uncut port) + 2x Ø8-17,5mm + 16x Ø-4mm	24	96*	380 x 245 x 130
Fibre optic splice closure Tracom FTTX DAC 4+16IN Ø6mm +Panel v2	2x Ø10-17,5mm (uncut port) + 2x Ø8-17,5mm + 16x Ø-6mm	24	96*	380 x 245 x 130

* with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX DAC-S 4+16IN 18SC (18F + PATCH PANEL)

TR-FTTXDAC-S-4+16IN-X



Product information

Product name	Number of inlet/ outlet ports and max. diameter	Max. number of adapters able to install	Max. number of splices	Dimensions[mm]
Fibre optic splice closure Tracom FTTX DAC-S 4+16IN 18SC Ø4mm +Panel	4× Φ-18.0mm + 16× Φ-4mm	18	18	380 x 245 x 130
Fibre optic splice closure Tracom FTTX DAC-S 4+16IN 18SC Ø6mm +Panel	4× Φ-18.0mm + 16× Φ-6mm	18	18	380 x 245 x 130

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU B08 (2x PG PORT)

TR-FTTX-MDU-B08



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU B08 (2xPG port)	225 x 205 x 53.5	0.55* 0.68	No	8/16**	8x SC SX	Mechanical	8x (11.0)	2x (12.3) [2xPG]

* weight net (without packaging and accessories).

**with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU B08 (OVAL PORT)

TR-FTTX-MDU-B08-O



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU B08 (oval port)	210 x 205 x 53.5	0.52* 0.65	No	8/16**	8x SC SX	Mechanical	8x (6.0)	1x (52.0x20.0) [oval port]

* weight net (without packaging and accessories).

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU B16 (2x PG)

TR-FTTX-MDU-B16-2



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU B16 (2xPG port)	320 x 250 x 93	1.10* 1.30	No	12/24**	16x SC SX	Mechanical	16x (11.0)	2x (12.3) [2xPG]

* weight net (without packaging and accessories).

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU B16 (UNCUT PORT)

TR-FTTX-MDU-B16-U



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU B16 (uncut port)	300 x250 x 93	1.09* 1.23	No	12/24**	16x SC SX	Mechanical	16x (11.0)	2x (18.3[uncut])

* weight net (without packaging and accessories).

** with double arrangement of splices



FIBRE OPTIC SPLICE CLOSURE TRACOM

FTTX MDU BLK H08F (UNCUT PORT + PG) + SPLIT BOX 1x8

TR-FTTXMDU-H08F-SB8



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Flat
Fibre optic splice closure Tracom FTTX MDU BLK H08F (uncut port + PG) +Split Box 1x8	263 x 200 x 73	0.75* 1.35	No	8	Split Box 1x8	Thermal	2x (12.0) 1x (PG)	8x (2.0x4.0)

* weight net (without packaging and accessories).



FIBRE OPTIC SPLICE CLOSURE TRACOM

FTTX MDU BLK H08F (UNCUT PORT + PG) +PATCH PANEL

TR-FTTXMDU-H08F-PP



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Flat
Fibre optic splice closure Tracom FTTX MDU BLK H08F (uncut port + PG) +Patch Panel	263x200 x 73	0.75* 1.35	No	8	9 x SC SX	Thermal	2x (12.0) 1x (PG)	8x (2.0x4.0)

* weight net (without packaging and accessories).

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU BLK I08 + PANEL

TR-FTTXMDU-I08-PP



Product information

Product name	Number of inlet/outlet ports and max. diameter	Max. number of trays able to install	Max. number of adapters able to install	Max. number of splices	Dimensions (HxWxD) [mm]
Fibre optic splice closure Tracom FTTX MDU BLK I08 + Panel	2× 5x12mm, 8× 2x3mm	1	8 SC Simplex/LC Duplex	24	234 x160 x 50



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU BLK I08 9xSC/APC + 1x8 PLC

TR-FTTXMDU-I08-SB8



Product information

Product name	Number of inlet/outlet ports and max. diameter	Max. number of trays able to install	Max. number of adapters able to install	Max. number of splices	Dimensions (HxWxD) [mm]
Fibre optic splice closure Tracom FTTX MDU BLK I08 9xSC/APC + 1x8 PLC	2× 5×12mm, 8× 2×3mm	1	9x SC SX	24	234 x160 x 50

FIBRE OPTIC SPLICE CLOSURES

FIBRE OPTIC SPLICE CLOSURE TRACOM

FTTX MDU C12 (2xPG)

TR-FTTX-MDU-C12-2PG



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU C12 (2xPG)	270 x 205 x 95	0.95* 1.11	No	12/24**	12x SC SX	Mechanical	12x (11.2)	2x (12.3) [2xPG]

* weight net (without packaging and accessories).

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU C12 (UNCUT PORT)

TR-FTTX-MDU-C12-U



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU C12 (uncut port)	260 x 205 x 95	0.92* 1.08	No	12/24**	12x SC SX	Mechanical	12x (11.2)	2x (18.3) [uncut port]

* weight net (without packaging and accessories).


** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURES

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU C16 (2xPG)

TR-FTTX-MDU-C16



Product information


Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU C16 (2xPG)	315 x240 x 110	1.30* 1.50	No	12/24**	16x SC SX +2	Mechanical	16x (11.3)	2x (12.3) [2xPG]

* weight net (without packaging and accessories).

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU C16 (UNCUT PORT)

TR-FTTX-MDUC16-U-P2



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU C16 (uncut port)	310 x240 x 110	1.30* 1.50	No	12/24**	16x SC SX +2	Mechanical	16x (11.3)	2x (18.3) [uncut port]

* weight net (without packaging and accessories).

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU E12 (UNCUT PORT) + PATCH PANEL

TR-FTTX-MDU-E12-P



Product information

Product name	Number of inlet/outlet ports and max. diameter	Max. number of adapters able to install	Max. number of trays able to install	Max. number of splices	Dimensions (HxWxD) [mm]
Fibre optic splice closure Tracom FTTX MDU E12 (uncut port) + Patch Panel	2x ~14mm (uncut port), 12x ~6mm	12 (SC Simplex / LC Duplex)	1	20	233x213x72.0mm



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU E24 (2xPG) +PATCH PANEL

TR-FTTX-MDU-E24-PG-P



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU E24 (2xPG) +Patch Panel	340 x 270 x 112	2.20* 2.60	Yes	24/48**	48x SC SX	Mechanical	48x (5.0)	2x (20.0) [2xPG]

* weight net (without packaging and accessories).

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU E24 v2 (2xPG) +2x SPLIT BOX 1x8

TR-FTTX-MDU-E24-V2P



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU E24 (2xPG) +2x Split Box 1x8	340 x 270 x 112	1.5* 1.78	Yes	24/48**	18x SC SX	Mechanical	24x (5.0)	2x (12.3) [2xPG]

* weight net (without packaging and accessories).

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

FTTX MDU E24 v2 (UNCUT PORT) +2x SPLIT BOX 1x8

TR-FTTX-MDU-E24-V2-S



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU E24 v2 (uncut port) +2x Split Box 1x8	315 x 270 x 112	1.5* 1.78	Yes	24/48**	18x SC SX	Mechanical	24x (5.0)	2x (15.0) [uncut port]

* weight net (without packaging and accessories).

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU E24 v2 (UNCUT PORT) +PATCH PANEL

TR-FTTX-MDU-E24-V2-P



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU E24 v2 (uncut port) +Patch Panel	315 x 270 x 112	1.4* 1.63	Yes	24/48**	24x SC SX	Mechanical	24x (5.0)	2x (15.0) [uncut port]

* weight net (without packaging and accessories).


** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

FTTX MDU E48 v2 (UNCUT PORT) + 4x SPLIT BOX 1x8

TR-FTTX-MDU-E48-V2-S



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU E48 v2 (uncut port) + 4x Split Box 1x8	380.0x350.0x140.0	2.45* 2.80	Yes	2 4/48**	36x SC SX	Mechanical	48x (5.0)	2x (18.2) [uncut port]

* weight net (without packaging and accessories).

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU E48 v2 (UNCUT PORT) + PATCH PANEL

TR-FTTX-MDU-E48-P -V2



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU E48 v2 (uncut port) +Patch Panel	380.0x350.0x135.0	2.20* 2.60	Yes	2 4/48**	48x SC SX	Mechanical	48x (5.0)	2x (18.2) [uncut port]


* weight net (without packaging and accessories).

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU G16 (2xPG + UNCUT PORT)

TR-FTTX-MDU-G16-24S



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU G16 (2xPG + uncut port)	385 x 232 x 130.5	1.9* 2.25	No	18/36**	18x SC SX	Mechanical	16x (3.0) +2x (11.5[PG])	2x (16.5 [uncut port])
Fibre optic splice closure Tracom FTTX MDU G16 (2xPG + uncut port) 24S	385 x 232 x 130.5	1.9* 2.25	No	18/36**	24x SC SX	Mechanical	16x (3.0) +2x (11.5[PG])	2x (16.5 [uncut port])

* weight net (without packaging and accessories).

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU G16-24S BLACK (2xPG + UNCUT PORT)

TR-FTTX-MDU-G1624S-B



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU G16-24S BLACK (2xPG + uncut port)	385 x 232 x 130.5	1.9* 2.25	No	18/36**	24x SC SX	Mechanical	16x (3.0) +2x (11.5[PG])	2x (16.5 [uncut port])

* weight net (without packaging and accessories).

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU G24-24S (2xPG)

TR-FTTX-MDU-G24-2PG



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU G24-24S (2xPG)	385.5 x 232 x 130.5	1.9* 2.25	No	18/36**	24x SC SX	Mechanical	16x (3.0) + 2x (11.5[PG])	8x (6.5 [uncut port])

* weight net (without packaging and accessories).

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU G24-24S BLACK (2xPG)

TR-FTTX-MDU-G24-2PG



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU G24-24S BLACK (2xPG)	385.5 x 232 x 130.5	2.0* 2.25	No	18/36**	24x SC SX	Mechanical	16x (3.0) + 2x (11.5[PG])	8x (6.5 [uncut port])

* weight net (without packaging and accessories).

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

FTTX MDU H16F (2xPG + UNCUT PORT) + 2x SPLIT BOX 1x8

TR-FTTXMDU-H16F-2SB8



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU H16F (2xPG + uncut port) + 2x Split Box 1x8	304.0 x 175.0 x 112.0	1.25* 1.35	No	18	16x SC SX	Mechanical	2x (9.0) 2x (18.0)	16x (1.0x5.0)

* weight net (without packaging and accessories).

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM

FTTX MDU H16F (2xPG + UNCUT PORT) + PATCH PANEL

TR-FTTXMDU-H16F-P



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU H16F (2xPG + uncut port) + Patch Panel	304.0 x 175.0 x 112.0	1.25* 1.35	No	18	16x SC SX	Mechanical	2x (9.0) 2x (18.0)	16x (1.0x5.0)

* weight net (without packaging and accessories).

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

FTTX MDU H16R (2xPG + UNCUT PORT) + 2x SPLIT BOX 1x8

TR-FTTXMDU-H16R-2SB8



Product information


Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU H16R (2xPG + uncut port) + 2x Split Box 1x8	304.0 x 175.0 x 112.0	1.25* 1.35	No	18	16x SC SX	Mechanical	2x (9.0) 2x (18.0) 16x (3.0)	-

* weight net (without packaging and accessories).

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU H16R (2xPG + UNCUT PORT) + PATCH PANEL

TR-FTTXMDU-H16R-P



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
							Round	Oval
Fibre optic splice closure Tracom FTTX MDU H16R (2xPG + uncut port) + Patch Panel	304.0 x 175.0 x 112.0	1.25* 1.35	No	18	16x SC SX	Mechanical	2x (9.0) 2x (18.0) 16x (3.0)	-


* weight net (without packaging and accessories).

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX MDU I16R (UNCUT PORT) + 16xSC/UPC

TR-FTTXMDU-I16R-SCU



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX MDU I16R (uncut port) + 16xSC/UPC	275×210×117.6	1.24	No	16/32*	16x SC SX	Mechanical	2× Φ11.8-18mm + 16× SC SX adapter ports

*with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM

FTTX MDU I16R BLACK (UNCUT PORT) + 16xSC/UPC

TR-FTTXMDU-I16R-B-SX



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX MDU I16R BLACK (uncut port) + 16xSC/UPC	275×210×117.6	1.24	No	16/32*	16x SC SX	Mechanical	2× Φ11.8-18mm + 16× SC SX adapter ports

*with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX ODU 2IN-24S

TR-FTTXODU-2IN-24S



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU 2IN-24S	245 x 193 x 53.3	0.58* 0.83	No	24/8**	24x SC SX	Mechanical	2 x ~15mm

* weight net (without packaging and accessories).

**with the possibility of mounting a 1x16 steel splitter and two 1x8 steel splitters.



FIBRE OPTIC SPLICE CLOSURES

FIBRE OPTIC SPLICE CLOSURE TRACOM

FTTX ODU 2IN-8S

TR-FTTXODU-2IN-8S



Product information

Product name	Dimensions (HxWxD) [mm]	Weight [kg]	Grounding	Max. number of splices	Max. number of adapters	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU 2IN-8S	198 x 130 x 28.5	0.26* 0.406	No	12	8x SC SX	Mechanical	2 x ~15mm

* weight net (without packaging and accessories).



FIBRE OPTIC SPLICE CLOSURES

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX ODU 3IN-6D

TR-FTTXODU-3IN-6D



Product information

Product name	Dimensions (H×W×D) [mm]	Max. number of adapters	Max. number of splices	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU 3IN-6D	270 × 200 × 60	6	12	Mechanical	2 × Ø17mm (PG-type) + 1 × Ø11mm (PG-type)

FIBRE OPTIC SPLICE CLOSURES

FIBRE OPTIC SPLICE CLOSURE TRACOM

FTTX ODU 3IN-8S

TR-FTTXODU-3IN-8S



Product information

Product name	Dimensions (HxWxD) [mm]	Max. number of adapters	Max. number of splices	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU 3IN-8S	320 × 175 × 45	8	12	Mechanical	2 × Ø17mm (PG-type) + 1 × Ø11mm (PG-type)



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX ODU 4IN-24S (UNCUT PORT)

TR-FTTXODU-4IN-24S



Product information

Product name	Dimensions (HxWxD) [mm]	Max. number of adapters	Max. number of splices	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU 4IN-24S (uncut port)	300 × 265 × 95	24	12/24*	Mechanical	2x uncut port (2x Ø18mm/ 1 oval) +1 additional (15.5mm)

*with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX ODU 4S

TR-FTTX-ODU-4S-P2



Product information


Product name	Dimensions (HxWxD) [mm]	Max. number of adapters	Max. number of splices	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU 4S	210 × 140 × 40	4	8	Mechanical	1 × Ø10mm + 4 × Ø3mm



FIBRE OPTIC SPLICE CLOSURE TRACOM

FTTX ODU 5IN-8S

TR-FTTXODU-5IN-8S



Product information

Product name	Dimensions (HxWxD) [mm]	Max. number of adapters	Max. number of splices	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU 5IN-8S	240 × 170 × 46	8	8	Mechanical	1 × Ø11mm (PG-type), 4 × 18.6x11.35mm (oval)



FIBRE OPTIC SPLICE CLOSURES

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX ODU BIG 4IN + 4x SPLIT BOX 1x8

TR-FTTXODU-4IN-4SB



Product information

Product name	Dimensions (HxWxD) [mm]	Max. number of adapters	Max. number of splices	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU BIG 4IN + 4x Split Box 1x8	400 x 285 x 124	36	12/24*	Mechanical	4xPG (28mm)

*with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX ODU BIG 8IN-96S

TR-FTTXODU-8IN96S



Product information

Product name	Dimensions (HxWxD) [mm]	Max. number of adapters	Max. number of splices	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU BIG 8IN-96S	467 x 430 x 125	96	96/192*	Mechanical	2xPG (28mm) +6 blanked (28mm)

*with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX ODU BLACK 3IN-12S

TR-FTTXODU-3IN12S



Product information

Product name	Dimensions (HxWxD) [mm]	Max. number of adapters	Max. number of splices	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU BLACK 3IN-12S	275 x 200 x 90	12	24*	Mechanical	3 x Ø20mm

*with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX ODU BLACK 3IN-18S

TR-FTTXODU-3IN18S



Product information

Product name	Dimensions (HxWxD) [mm]	Max. number of adapters	Max. number of splices	Sealing	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU BLACK 3IN-18S	280 × 200 × 90	18	24*	Mechanical	3 x Ø18mm

*with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX ODU BLACK 4IN-9S

TR-FTTXODU-4IN-9S



Product information



Product name	Dimensions (HxWxD) [mm]	Max. number of trays	Max. number of adapters	Max. number of splices	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU BLACK 4IN-9S	250 × 142 × 54	1	9	17	4× ~9mm, 9× ~3mm



FIBRE OPTIC SPLICE CLOSURE

TRACOM FTTX ODU-LINE 6IN-9S BLK

TR-FTTX-ODU-6IN-9S



Product information

Product name	Dimensions (HxWxD) [mm]	Max. number of trays	Max. number of adapters	Max. number of splices	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU-LINE 6IN-9S BLK	360 × 217 × 87	1	9	24	4× ~17mm, 2× ~14mm



FIBRE OPTIC SPLICE CLOSURES

FIBRE OPTIC SPLICE CLOSURE TRACOM FTTX ODU-LINE BLACK 2IN

TR-FTTXODU-2IN



Product information

Product name	Dimensions [HxWxD] [mm]	Max. number of splices	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom FTTX ODU-LINE BLACK 2IN	189 × 90 × 22	6	2 × ~8mm

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-D4-D-A-000 048F-04xP037VX-B13

TR-FOSC-D-D



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-D4-D-A-000 048F-04xP037VX-B13	A	310.0 (116.0/195.0)	1.05* 1.35	P037 (6/12)**	24/48F** (4)	-	Mechanical	4x (18.5)	-

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-D4-D-B-000 048F-04xP037VX-B13

TR-FOSC-D-D-V3B



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-D4-D-B-000 048F-04xP037VX-B13	B	310.00 (116.00/190.00)	1.10* 1.40	P037 (6/12)**	24/48F** (4)	-	Mechanical	4x (18.5)	-

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-D4-T-A-000 048F-04xP037VX-B13

TR-FOSC-D



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-D4-T-A-000 048F-04xP037VX-B13	A	295.00 (116.00/195.00)	0.95* 1.25	P037 (6/12)**	24/48F** (4)	-	Heat shrink	3× (18)	1× (18×28)

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-D4-T-B-000 048F-04xP037VX-B13

TR-FOSC-D-V3B



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-D4-T-B-000 048F-04xP037VX-B13	B	295.00 (116.00/190.00)	1.00* 1.30	P037 (6/12)**	24/48F** (4)	-	Heat shrink	3× (18)	1× (18×28)

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-G4-D-A-000 096F-04xP010VX-B12

TR-FOSC-G-D



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-G4-D-A-000 096F-04xP010VX-B12	A	415.00 (134.00/204.00)	1.47* 1.87	P010 (12/24)**	48/96F**(4)	-	Mechanical	4x (18.5)	-

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-G4-D-B-000 096F-04xP010VX-B12

TR-FOSC-G-D-V3B



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-G4-D-B-000 096F-04xP010VX-B12	B	415.00 (134.00/214.00)	1.49* 1.89	P010 (12/24)**	48/96F**(4)	-	Mechanical	4x (18.5)	-

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-G4-T-A-000 096F-04xP010VX-B12

TR-FOSC-G



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-G4-T-A-000 096F-04xP010VX-B12	A	425.00 (134.00/204.00)	1.40* 1.80	P010 (12/24)**	48/96F**(4)	-	Heat shrink	3× (18)	1× (22×32)

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-G4-T-B-000 096F-04xP010VX-B12

TR-FOSC-G-V3B



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-G4-T-B-000 096F-04xP010VX-B12	B	425.00 (134.00/214.00)	1.42* 1.82	P010 (12/24)**	48/96F**(4)	-	Heat shrink	3× (18)	1× (22×32)

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-H6-D-S-000 096F-04xP023V1-000

TR-FOSC-H2-V2



Product information

Product name	Type	Dimensions (HxWxD) [mm]	Weight [kg]	Tray (fibres)	Max. number of splices	Sealing	Ports	
							Round	Oval
Fibre optic splice closure Tracom SC-H6-D-S-000 096F-04xP023V1-000	BOX	322x205x86.3	3.0	P023 (12/24)	48/96* (4)	Mechanical	2 (20mm) 2 (16mm) 2 (13mm)	-

*with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-K4-T-O-09S 024F-00x000000-000

TR-FOSC-H2-V2



Product information

Product name	Dimensions (HxWxD) [mm]	Max. number of trays	Max. number of adapters	Max. number of splices	Number of inlet/outlet ports and max. diameter
Fibre optic splice closure Tracom SC-K4-T-O-09S 024F-00x000000-000	295 × 223 × 116	1	9	12/24*	2 × Φ16.0mm, 2 × Φ12.0mm/ 8 × 2.0×3.0mm

*with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-L5-D-A-36S 072F-03xP085VX-000

TR-FOSC-L-36S



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-L5-D-A-36S 072F-03xP085VX-000	A	510.00 (150.00/220.00)	2.34* 3.04	P085 (24)	72 (3)	36× SC SX	Mechanical	4× (18.2), 1× (40.8)	-

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-L5-D-B-36S 072F-03xP085VX-000

TR-FOSC-L-36S-V3B



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-L5-D-B-36S 072F-03xP085VX-000	B	520.00 (153.00/223.00)	2.46* 3.26	P085 (24)	72 (3)	36× SC SX	Mechanical	4× (18.4), 1× (41.8)	-

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]


** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-L5-T-A-000 144F-06xP085VX-B12

TR-FOSC-L



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-L5-T-A-000 144F-06xP085VX-B12	A	505.00 (153.00/213.00)	1.80* 2.30	P085 (24)	144 (6)	-	Heat shrink	4× (17)	1× (33×40)

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-L5-T-B-000 144F-06xP085VX-B12

TR-FOSC-L-V3B



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-L5-T-B-000 144F-06xP085VX-B12	B	505.00 (153.00/223.00)	1.82* 2.32	P085 (24)	144 (6)	-	Heat shrink	4× (17)	1× (33×40)

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-M2-D-S-000 096F-04xP023V1-000

TR-FOSC-M



Product information

Product name	Type	Height [mm]	Weight [kg]	Splice tray (fibres)	Max. number of splices	Sealing	Ports	
							Round	Oval
Fibre optic splice closure Tracom SC-M2-D-S-000 096F-04xP023V1-000	BOX	280.0	2.3kg	P023 (12/24)	48/96* (4)	Mechanical	2pcs. (25mm)	-

* with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-R5-D-O-000 144F-06xP045V1-B17

TR-FOSC-R-D-BS



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-R5-D-O-000 144F-06xP045V1-B17	-	505.00 (175.00/230.00)	2.30* 2.70	P045 (24)	144 (6)	-	Mechanical	4× (18.5), 2× (19)	-

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-R5-T-O-000 144F-6xP045V1-B17

TR-FOSC-R-BS



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-R5-T-O-000 144F-6xP045V1-B17	-	505.00 (175.00/230.00)	2.30* 2.70	P045 (24)	144 (6)	-	Heat shrink	4× (21)	1× (34×63)

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-S7-T-O-000 144F-6xP045V1-B17

TR-FOSC-S-BS



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-S7-T-O-000 144F-6xP045V1-B17	-	530.00 (190.00/270.00)	2.94* 3.89	P085 (24)	240 (10)	-	Heat shrink	6× (18)	1× (37×69)

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.



FIBRE OPTIC SPLICE CLOSURE TRACOM SC-T7-T-A-000 240F-10xP085VX-B12

TR-FOSC-T



Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-T7-T-A-000 240F-10xP085VX-B12	-	530.00 (190.00/270.00)	2.94* 3.89	P085 (24)	240 (10)	-	Heat shrink	6× (18)	1× (37×69)


* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.

FIBRE OPTIC SPLICE CLOSURE TRACOM

SC-U7-T-A-000 288F-12xP085VX-B12

TR-FOSC-U




Product information

Product name	Type	Height (Ødome/ Øassembly) [mm]	Weight [kg]	Tray (splices)	Max. number of splices	Max. number of adapters	Sealing	Ports [mm]	
								Round	Oval
Fibre optic splice closure Tracom SC-U7-T-A-000 288F-12xP085VX-B12	A	520.00 (185.00/265.00)	2.55* 3.35	P085 (24)	288 (12)	-	Heat shrink	6× (17.5)	1× (37×69)

* net weight (closure + mounting bracket) [without accessories, packaging / without trays]

** with double arrangement of splices.





tracom


Splice
trays



SPLICE TRAYS


FIBRE OPTIC SPLICE TRAY P009V1-12F [2x06F]

T-P009-6




FIBRE OPTIC SPLICE TRAY TRACOM P010V1-24F [2x12F]

T-P010-12



FIBRE OPTIC SPLICE TRAY TRACOM P010V2-24F [2x12F]

T-P010-12-V2



FIBRE OPTIC SPLICE TRAY TRACOM P023V1-24F [2x12F]

T-P023-12



Product information

Product name	Overall dimensions/ tray surface [mm]	Splices	Double laying of splices	Splice protector length [mm]
Fibre optic splice tray Tracom P009 (6/12)	147 x 105 x 16.5/ 134.7 x 105 x 9	6/12*	Yes	45
Fibre optic splice tray Tracom P010 (12/24)	225 x 92 x 18.7/ 215 x 92 x 10.8	12/24*	Yes	60
Fibre optic splice tray Tracom P010 (12/24) v.2	225 x 92 x 18.7/ 215 x 92 x 10.8	12/24*	Yes	60
Fibre optic splice tray Tracom P023 (12/24)	131 x 133 x 18.2/ 122.5 x 133 x 10.3	12/24*	Yes	45

* with double laying splices

SPLICE TRAYS

FIBRE OPTIC SPLICE TRAY TRACOM P024V1-24F [2x12F]

T-P024-12



FIBRE OPTIC SPLICE TRAY TRACOM P025V1-24F [2x12F] BLACK

T-P025-12-B



FIBRE OPTIC SPLICE TRAY TRACOM P025V2-24F [2x12F] BLACK

T-P025-12-B-V2



FIBRE OPTIC SPLICE TRAY TRACOM P026V1-12F [2x06F]

T-P026-6



Product information

Product name	Overall dimensions/ tray surface [mm]	Splices	Double laying of splices	Splice protector length [mm]
Fibre optic splice tray Tracom P024V1-24F [2x12F]	135 x 113 x 15.7/ 135 x 105 x 8.8	12/24*	Yes	45
Fibre optic splice tray Tracom P025V1-24F [2x12F] BLACK	158 x 94.5 x 15/ 158 x 90.5 x 10.8	12/24*	Yes	60
Fibre optic splice tray Tracom P025V2-24F [2x12F] BLACK	193 x 134 x 17.8/ 193 x 125 x 9.8	12/24*	Yes	60
Fibre optic splice tray Tracom P026V1-12F [2x06F]	130 x 110 x 14/ 120 x 110 x 9.5	6/12*	Yes	45


* with double laying splices

** 30 splices possible using 45mm splice protectors

SPLICE TRAYS


FIBRE OPTIC SPLICE TRAY TRACOM P037V1-12F [2x06F]

T-P037-6



FIBRE OPTIC SPLICE TRAY TRACOM P037V2-12F [2x06F]

T-P037-6-V2




FIBRE OPTIC SPLICE TRAY TRACOM P045V1-24F [2x12F] + 1x PLC

T-P085-24



FIBRE OPTIC SPLICE TRAY TRACOM P085V1-24F [1x24F]

T-P085-24




Product information

Product name	Overall dimensions/ tray surface [mm]	Splices	Double laying of splices	Splice protector length [mm]
Fibre optic splice tray Tracom P037V1-12F [2x06F]	107 x 92 x 15.8/ 104 x 152 x 9.1	6/12*	Yes	45
Fibre optic splice tray Tracom P037V2-12F [2x06F]	107 x 92 x 15.8/ 104 x 152 x 9.1	6/12*	Yes	45
Fibre optic splice tray Tracom P045V1-24F [2x12F]	250x110.4x16/ 206x108.8x8	12/24	Yes	60
Fibre optic splice tray Tracom P085V1-24F [1x24F]	280 x 107.7 x 13.4/ 241 x 107.7 x 8.4	24	No	60

SPLICE TRAYS


FIBRE OPTIC SPLICE TRAY TRACOM P085V2-24F [1x24F]

T-P085-24-V2



FIBRE OPTIC SPLICE TRAY TRACOM P087V1-12F [1x12F]

T-P087-12




FIBRE OPTIC SPLICE TRAY TRACOM P300V1-30F [2x15F]

T-P300-16



FIBRE OPTIC SPLICE TRAY TRACOM P302V1-24F [2x12F]

T-P3024-24



Product information

Product name	Overall dimensions/ tray surface [mm]	Splices	Double laying of splices	Splice protector length [mm]
Fibre optic splice tray Tracom P085V2-24F [1x24F]	280×107.7×13.4/241×107.7×8.4	24	No	60
Fibre optic splice tray Tracom P087V1-12F [1x12F]	227×120×15.5/227×120×15.5	12	No	60
Fibre optic splice tray Tracom P300V1-30F [2x15F]	193×134×17.8/193×125×9.8	16/30**	Yes	60
Fibre optic splice tray Tracom P302V1-24F [2x12F]	224×115.7×18/224×107×12	12/24*	Yes	60


* with double laying splices

** 30 splices possible using 45mm splice protectors

SPLICE TRAYS


FIBRE OPTIC SPLICE TRAY TRACOM P304V1-48F [2x24F]

T-P3048-48




FIBRE OPTIC SPLICE TRAY TRACOM P411V1-12F [1x12F]

T-P4112-12



FIBRE OPTIC SPLICE TRAY TRACOM P411V2-12F [1x12F]

T-P4112-12-V2



FIBRE OPTIC SPLICE TRAY TRACOM P411V3-12F [1x12F]

T-P4112-12-V3



Product information				
Product name	Overall dimensions/ tray surface [mm]	Splices	Double laying of splices	Splice protector length [mm]
Fibre optic splice tray Tracom P304V1-48F [2x24F]	275×158,4×19/275×144×11,4	24/48*	Yes	60
Fibre optic splice tray Tracom P411V1-12F [1x12F]	154,5 x 92 x 9,8/154,5 x 92 x 7,8	12	No	45
Fibre optic splice tray Tracom P411V2-12F [1x12F]	154,5 x 92 x 9,8/154,5 x 92 x 7,8	12	No	45
Fibre optic splice tray Tracom P411V3-12F [1x12F]	154,5×99,4×14,8/154,5×92×7,8	12	No	45


* with double laying splices



SPLICE TRAYS


FIBRE OPTIC SPLICE TRAY TRACOM P411V4-24F [1x24F] ANT

T-P4112-24-V4




FIBRE OPTIC SPLICE TRAY TRACOM P502V1-24F [1x24F]

T-P5024-24




FIBRE OPTIC SPLICE TRAY TRACOM P502V2-48F [2x24F]

T-P5024-24/48



FIBRE OPTIC SPLICE TRAY TRACOM P512V1-24F [1x24F] BLACK

T-P5112-24-B



Product information

Product name	Overall dimensions/ tray surface [mm]	Splices	Double laying of splices	Splice protector length [mm]
Fibre optic splice tray Tracom P411V4-24F [1x24F] ANT	154.7×92.0×9.8/154.4×88×6	24	No	Splice protection ANT
Fibre optic splice tray Tracom P502V1-24F [1x24F]	227.0×135.0×21.1/193.0×117.3×10.1	24	No	60
Fibre optic splice tray Tracom P502V2-48F [2x24F]	227.0×135.0×21.1/193.0×117.3×10.1	24/48*	Yes	60
Fibre optic splice tray Tracom P512V1-24F [1x24F] BLACK	200.0×147.0×14.7/193.0×130.9×6.0	24	No	60

* with double laying splices



xbest.pl Sp. z o.o. Sp. k.,

Headquarters: 00-807 Warszawa, Al. Jerozolimskie 96
Branch: 44-200 Rybnik, ul. Św. Józefa 141D

Phone: +48 32 239 6000, +48 32 239 6001, Fax. +48 32 239 6010
NIP: 642-318-10-41, REGON: 243085940

www.xbest.pl
e-mail: office@xbest.pl